QUARRY PROJECT OF

M/s POPULAR SAND AND METALS

SURVEY NO.	**: 42/2 pt, 42/3 pt & 43/4 pt**
EXTENT	**: 3.8675 Hectares**
VILLAGE	**: OORAKAM**
TALUK	**: THIRURANGADI**
DISTRICT	**: MALAPPURAM**
STATE	**: KERALA**

HALF YEARLY COMPLIANCE REPORT 2024-2025

Ref: EC. No: 32/2017 (File No: 874/SEIAA/EC1/3105/2015)

DATED: 02/05/2017

FOR THE PERIOD FROM

OCTOBER 2024 TO MARCH 2025

GEC MINING & ENVIRONMENTAL SOLUTIONS PVT. LTD.
KALATHINGAL, TC 82/2565/1, CHIRAKKULAM ROAD, THIRUVANANTHAPURAM,
KERALA - 695 001. EMAIL : gecminingsolutions@gmail.com

Popular Sand & Metals

Ph: 0483 2837444
0483 2837555
E-mail: popularsands123@gmail.com

DATE: 01-11-2024

To,

The Additional principal chief Conservator of Forests©
Ministry of environment, Forests & Climate Change,
4th Floor, E&F Wing, Kendriya Sadan,
Koramangala, Bangalore – 560034.

Ref: EC. No: 874/SEIAA/ECI/3105/2015 dated: 02/05/2017

Sub: Environmental Clearance- Quarry project at Survey Nos : 42/2 pt, 42/3 pt& 43/4 pt in Oorakam Village, Thirurangadi Taluk, Malappuram District, Kerala.

Respected Sir,

The quarry (Building Stone) Project was accorded Environmental Clearance for **3.8675hectares, By Order No: EC No: 874/SEIAA/ECI/3105/2015 dated: 02/05/2017.** By State Environment Impact Assessment Authority,Kerala. Compliance report to the specific and general conditions of the Environmental Clearance is enclosed herewith.

Thanking you

Yours respectfully,

M/s Popular Sand and Metals.

Mr. Jibin Jacob
(Current Managing partner& Authorized signatory)

Copy to:-
The Member Secretary
State Environment Impact assessment Authority (SEIAA)
Thiruvananthapuram, Kerala.

Encl: As Above.

TABLE OF CONTENTS

ITEM NUMBER	*DESCRIPTION*	*PAGE NUMBER*
I	**About The Proponent**	
II	**About The Project**	
	Project Category	
	Project Location	
	Project Extent And Activity	
	Project Description	
III	**Report Of Compliance**	
	Compliance Of Specific Condition	
	Compliance Of General Condition	
IV	a. Drilling	
	b. Blasting	
	c. Details of Environment Monitoring cell members	
	d. List of Trees in the quarry site	
V	**Annexure**	
	Annexure 1 – Affidavit for eco-restoration	
	Annexure 2 – Explosive License	
	Annexure 3 – Pollution certificate	
	Annexure 4 – Panchayath License	
	Annexure 5 – Affidavit for EC Conditions	
	Annexure 6 – Corporate Social Responsibility	
	Annexure 7 – Monitoring Reports	
	Annexure 8 – Environmental Clearance Copy	

I. ABOUT THE PROPONENT

Mr. Jibin Jacob, Current Managing partner & Authorized Signatory of M/s Popular Sand and Metals.

State Environment Impact Assessment authority (SEIAA) Kerala accorded Environmental Clearance No **32/2017 (File No: 874/SEIAA/EC1/3105/2015) -Dated: 02/05/2017** to the quarry project in Oorakam Village, Thirurangadi Taluk, Malappuram District, Kerala State managed by Mr. Jibin Jacob, Current Managing partner & Authorized Signatory of M/s Popular Sand and Metals.

II. ABOUT THE PROJECT

a. Project Category:

The project comes under the Category B, Activity 1(a), (i) of Schedule of EIA Notification 2006 and subsequent amendments.

b. Project Location:

Survey Nos : 42/2 pt, 42/3 pt& 43/4 pt in Oorakam Village, Thirurangadi Taluk, Malappuram District, Kerala.

The proposed project site falls within latitude and longitude value:

Latitude (N)	**11°05′07.12″ N to 11°05′13.20″N**
Longitude (E)	**76°01′24.94″E to 76°01′34.61″E**

c. Project Extent and Activity:

The project is for quarrying of **1,25,000 MTA** of building stone from an area of **3.8675 hectares** of land located as specified above.

d. Project Description:

The project activity involves about 100 % of the pit area for exploring building stone. At the end of life of mine, excavated pit will be fully reclaimed and rehabilitated by plantation. The project does not involve any underground mining activities. The mining is done by open cast semi mechanized method. The expected life of mine is 19years.

III. REPORT OF COMPLIANCE

A. SPECIFIC CONDITIONS

ITEM NO	STIPULATIONS IN EC	STATUS OF COMPLIANCE
S-1	The water drained from the site should be properly collected and clarified before discharge.	The project proponent ensured that all storm water from the mining area flow in to the pond. The project has constructed storm water drains in the lower slopes of the project area for effective management of storm water. This helps to channelize the storm water to the rain water collection pond and the most of the debris are settling down at the bottom of the pond. The clarifiers will be installed soon.

S-2	The overburden should be stored at specific site and with protection.	Overburden is an inevitable byproduct of building stone quarry. There is no old quarry in the site for restoration. The overburden materials are stored within the site at designated place. This will be used to restore the exploited area in future. The photograph of OB is provided in

S-3	The CSR has to be revised consulting the local Panchayath.	As part of inclusive growth of the community, the project proponent executes various activities under Corporate Social Responsibility of the firm with the consultation of Panchayath. The main activities were under the sectors of education, housing, health etc. **ANNEXURE 6**

B. GENERAL CONDITIONS

Item No	STIPULATIONS IN EC	STATUS OF COMPLIANCE
G-1	Rain Water Harvesting facility should be installed as per the prevailing Provisions of KMBR/KPBR, unless otherwise specified.	To collect rain water from the entire project land, the proponent has developed one rain water harvesting pond in the quarrying area. The storm water from all mining areas is properly channelized to this pond. It is situated in the lowest level of quarry area. The storm water flow is leading to the pond through natural drainage. The excess clear water is flowing to the public draining after proper filtration. Rain water is mainly used for gardening, wetting of roads, Washing of sand and splashing for contain dust emission.

G-2	Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.	The Environmental Monitoring Cell (EMC) was formed with **Mr. Jibin Jacob (Current Managing Partner)** as head of the monitoring cell. The EMC meeting convenes regularly to evaluate and monitor quarrying work in connection with the specific and general conditions stipulated in the Environmental Clearance (EC) order. **INDEX.IV.c**

Sl. No.	Post	Name
1	Head of the monitoring cell	**Mr. Jibin Jacob (Current Managing Partner)**
2	Head in charge (Environment)	Mr.Jomon Joseph
3	Senior Environmental Officer	Mr. Joi
4	Environmental Officer	Mr. Rafeeque Rahman
5	Name of the environmental officer in charge	Mr. Murshid
6	Name of the officer Environment, Health and safety	Mr. Santo
7	Name of Environment, Health and safety In charge	Mr. Jomon joseph
8	Name of the environmental consultant	GEC Mining Solutions

G-3	Suitable avenue trees should be planted along either side of tarred road and open parking areas, if any, inclusive of approach road and internal roads.	To enrich vegetation and prevent air pollution, the project proponent planted different avenue trees either side of the roads, parking area and other areas in the project land. There are natural vegetations including trees, shrubs, herbs and climbers also present.


GPS Map Camera
Urakam,Kerala,India
Nayadippara Padapparambu Road,
Tirurangadi, Urakam, Kerala 676515, India
Lat 11°5'4.7441"N, Long 76°1'27.3383"E
24/04/25 12:56 GMT+05:30
Note : Captured by GPS Map Camera

GPS Map Camera
Urakam,Kerala,India
Tirurangadi, Urakam, 676515, Kerala, India
Lat 11°5'9.6541"N, Long 76°1'31.1042"E
28/10/24 12:34 GMT+05:30
Note : Captured by GPS Map Camera

G-4	Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.	Solar energy generation and utilization is being explored

G-5	Sprinklers shall be installed and used in the project site to contain dust emissions.	The emission of dust is a major adverse effect of a mining industry. To prevent dust emission, water tanker sprinklers are using in the project site This help to suppress dust during the time summer season. The monitoring of the air quality through a State Pollution Control Board accredited laboratory helps the project proponent to maintain the air quality within the permissible limit. The monitoring report is attached in **ANNEXURE 7.**

G-6	Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.	The eco restoration plan prepared by the project will be executed in a good manner. The project started to plant various saplings in and around the project site. The mine closure plan will be done at the own cost of project proponent as agreed in the proposal. Eco restoration affidavit is enclosed in **ANNEXURE 1.**
G-7	At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that areeco-friendly. If, no other specific condition on reclamation of pit is stipulated in the E.C	To conserve rain water, 10 percent of the excavated pit area will be retained as water storage area. This will help to improve the ground water table**.** It is proposed to develop a vegetative cover in the remaining area with indigenous plant species after reclamation of the mined area with stacked top soil and overburden.

G-8	Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented.	As part of inclusive growth of the community, the project proponent executes various activities under Corporate Social Responsibility of the firm with the consultation of Panchayath. The main activities were under the sectors of education, housing, health etc. **ANNEXURE 6**
G-9	The lease area shall be fenced off with barbed wires to a minimum height of 4ft around, before starting of mining. All the boundary indicators (boards, stores, markings, etc.) shall be protected at all times and shall be conspicuous.	As part of ensuring safety and to prevent the falling of human beings & animals in to the mined out area, the project proponent has installed barbed metal wire fencing on the steep cutting in the project site.

G-10	Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per Stipulations of Explosive Department.	The project proponent has installed warning alarms as per the stipulation of Explosive department in the quarry site. The timing of blasting in the quarry is in between 7.00 am to 5.00 pm on all working days.

DANGER
ENTRY RESTRICTED
BLASTING TIME
10 AM TO 10.30 AM
01 PM TO 01.30 PM
05 PM TO 05.30 PM
GPS Map Camera
Urakam,Kerala,India
Nayadippara Padapparambu Road,
Tirurangadi, Urakam, Kerala 676515, India
Lat 11°5'6.7110"N, Long 76°1'28.4756"E
24/04/25 12:49 GMT+05:30
Note : Captured by GPS Map Camera

അനുവാദം
കൂടാതെ
അകത്ത്
പ്രവേശിക്കരുത്.

DANGER
STAY OUT

DANGER
QUARRY WORKINGS
KEEP OUT

അനുവാദം
കൂടാതെ
അകത്ത്
പ്രവേശിക്കരുത്

DANGER
SAFETY
RESTRICTED
BLASTING TIME

BLASTING
AREA
NO SWIMMING
ALLOWED
2023

G-11	Control measures on noise and vibration prescribed by KSPCB should be implemented.	To reduce noise level in the project site, the project proponent has implemented mitigate masseurs. The major noise generating sources from the mining activity is working machineries, drilling, blasting and plying of vehicles.
G-12	Quarrying activities should be limited to day time as per KSPCB guidelines.	To reduce the inconvenience of community, the quarrying activities are limited to day time only as per KSPCB guidelines. The quarry working time is 7.00 am to 5.00 pm. This will help to limit the sound pollution.
G-13	Blasting should be done in a controlled manner as specified by the regulation of explosives Department or any other concerned agency.	To reduce fly rock and ground vibration, the blasting is done in controlled manner by using ordinary delayed detonators. All blasting activities are carrying out with the stipulated guidelines of explosive department and other concerned agency. The blasting time is displayed in the sign board and all blasting happens in the specified timings. **ANNEXURE 2**
G-14	A licensed person should supervise/control the blasting operations.	The project proponent has appointed Mines Manager, Foreman and mining mates in the site to supervise/control exploitation of minor minerals including blasting at the project site.

G-15	Access roads to quarry shall be tarred to contain dust emissions that may arise during transportation of materials.	One of the main sources of dust emission is roads. To reduce emission of dust, the access road from the entrance of project site to quarry is tarred. The project is spraying water on the road to arrest the dust during summer season. The project proponent is intending maintain access road to the quarry in good condition for dust emission and easiness of transportation of vehicles.

G-16	Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan/ specific conditions.	Overburden is an inevitable byproduct of building stone quarry. There is no old quarry in the site for restoration. The overburden materials are stored within the site at designated place. This will be used to restore the exploited area in future.

G-17	Height of benches should not exceed 5 m and width should not be less than 5 m if there is no mention is the mining plan/specific conditions.	All mining activities are progressing under the supervision of qualified personals. To enhance safety and to make environment friendly quarrying, the excavation activity in the project is progressing by creating benches of 5m width x 5m height.

G-18	Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.	The project proponent is using blasting mat. The project is using ordinary/ electric delayed detonator for blasting therefore there is no incident of fly rock is happened in the community. The project is also assuring the maximum PPV is under 10 during the time of blasting.
G-19	Maximum depth of mining from general ground level at site shall not exceed 10m.	Maximum depth of mining from general ground level at site will not exceed 10m.

G-20	Non mining operations should be carried out at places having a slope greater than 45°.	There is no area with a slope greater than 45° in the project site. Therefore it is not necessary to explore from the slopes greater than 45°.
G-21	Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.	There is no crusher unit near the quarry area. So there will be no air or sound pollution due to crusher unit happens. The project has provided ear plugs to the labors to reduce the impact of noise generation from the machines. Vegetation around the mining area will help to reduce noise and air pollution. This helps the noise level kept within prescribed standards. Labors to assure this, the project have monitored the noise level periodically by a NBEL accredited laboratory. The result is provided in **ANNEXURE 7**.

G-22	The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.	The project has provided adequate Personnel Protective Equipments (PPE) such as helmets, ear plugs, safety belts, glows, etc. in order to ensure the safety of workers in working site
G-23	Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.	The project proponent ensured that all storm water from the mining area flow in to the pond. The project has constructed storm water drains in the lower slopes of the project area for effective management of storm water. This helps to channelize the storm water to

		the rain water collection pond and the most of the debris are settling down at the bottom of the pond. The clarifiers will be installed soon.. The project is monitoring the quality of drinking water by a NABL accredited laboratory to assure that there is no pollution in the drinking water.

G-24	The transportation of minerals should be done in covered trucks to contain dust emissions.	To arrest the dust emission while transportation of materials, the project assures the trucks are covered before it leaving the project site.

ANAM_TRUCKING
STOP
KL 55
X 3685

G-25	The proponent should plant trees at least 5 times of the loss that has been occurred while clearing the land for the project.	As part of concurrent eco restoration, the project planted various saplings in the project area as a compensation of loss of trees while the project is clearing the land for mining.

G-26	Disposal of spent oil from diesel engines should be as specified under relevant Rules/Regulations.	Disposal of spent oil from diesel engines are specified under relevant Rules/Regulations.

G-27	Explosives should be stored in magazines in isolated place specified and approved by Explosive Department.	As per the stipulation of competent authority, the project has been storing the explosives in magazine. The magazine is situated in an isolated place specified and approved by the explosives department.

G-28	A Minimum buffer distance of 100 m from the boundary of the quarry to the nearest dwelling unit or other structure not being any facility for mining shall be provided.	A Minimum buffer distance of 100 m from the boundary of the quarry to the nearest dwelling unit or other structure, not being any facility for mining is provided.
G-29	100 m buffer distance should be maintained from forest boundaries.	Statutory safe distance shall be maintained without fail.
G-30	Consent from Kerala State Pollution, Control Board under Water and Air (Acts) should have been obtained before initiating mining activity.	Consent issued from Kerala state pollution control board **(Consent no: PCB/MLPM/ICO/R2/1656/2023, dated 30/03/2023, and valid up to 01/05/2028. is** attached in **ANNEXURE 3.**
G-31	All other statutory clearances should be obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.	All statutory clearances, approvals, licenses are obtained from concerned authorities. All conditions stipulated in such approvals are strictly followed. • D&O license issued by **Oorakam Grama Panchayath vide license number B3-838/20223-69, dated 31/03/2023, and validity from 01/05/2023 to 31/03/2027.** • Petroleum and explosive safety organization (formerly dept. of explosives) license number **E/SC/KL/22/790(E34591), dated: 20/11/2023, and valid from 05/11/2021 to 31/03/2026.** The certificates obtained from other concerned statutory authorities are attached in **ANNEXURE 2, 3**

G-32	In the case of any change(s) in the scope of the project, extent quantity, process of mining technology involved or in any way affecting the environmental parameters/ impacts as assessed, based on which only the EC is issued. The projects would require a fresh appraisal by this authority, for which the proponent shall apply and get the approval of this Authority.	In case of any change(s) in the scope of the project, the proponent will apply for fresh appraisal to get the Environmental Clearance.
G-33	The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act,1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	To enhance the safety and eco friendly mining, if the authority instructs to add additional safeguard measures subsequently, the project will be complied with.
G-34	The stipulations by Statutory Authorities under different Acts and Notifications should be complied with including the provisions of Water(Prevention and Control of Pollution)Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.	The stipulated orders and directions under different act and notification including EIA notification will be scrupulously followed. A brief list of various Acts and notifications which are followed by the proponent is given below • Kerala Minor Mineral Concession Rules, 2015. • KPIMST Rules, 2015 • Mines Act, 1952 • Explosive Rules, 2008 • Kerala Panchayat Raj Act, 1994 • Central Ground Water Authority • Water Pollution (Prevention & Control) Act, 1974 • Air Pollution (Prevention & Control) Act, 1981 • Environment Protection Act, 1986 • EIA Notification, 2006 / 2009 • The Kerala Promotion of Tree Growth in Non-Forest Areas (Amendment) Act, 2007. • Municipal Solid waste handling and management

G-35	The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which (both the advertisement and the newspaper)shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environment Impact Assessment Authority(SEIAA) office and may also be seen on the website of the Authority at www.seiaakerala.org. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation	An advertisement in two local newspapers regarding Environmental Clearance accorded to the quarry project was given within the stipulated period and the copy of the same was submitted at SEIAA Kerala. The copy attached in previous reports.
G-36	A copy of the clearance letter shall be sent by the proponent to concerned GramaPanchayath/DistrictPanchayath / Municipality/ Corporation/ Urban Local Body and also to the Local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The Environmental clearance shall also be put on the website of the company by the proponent.	A copy of the Environment Clearance letter was submitted to the Panchayath Office. The project proponent did not receive any suggestions / representation from anywhere while the processing the proposal therefore does not give the copy of clearance latter to anyone. The project does not have a website and it will create a company website soon. **ANNEXURE 4**
G-37	The proponent shall submit half yearly reports on the status of compliance of the stipulated EC Conditions including results of monitored data (both in hard copies as well as by email) and upload the Status of compliance of the stipulated EC conditions, including results of monitored data on their website. It shall simultaneously be Sent to the respective Regional office of MoEF, Govt.of India and also to the State Environment Impact Assessment Authority (SEIAA) Office	The compliance report is being submitted to the Directorate of Environment and Climate Change, Govt. of Kerala and also to the Regional Office of MoEF & CC, Govt. of India both in hard copy as well as mail. The result of monitored data is provided in **ANNEXURE 7**.

G-38	The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font of size of not less than 40.Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public.	The conditions of the environmental clearance prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font was installed. Sign board is also displayed showing lease area and boundaries at the entrance of the quarry.

G-39	The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.	The proponent has provided notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC have been scrupulously followed. **ANNEXURE 5**

G-40	No change in mining technology and scope of working should be made without prior approval of the SEIAA, No further expansion or modifications in the mine shall be carried out without prior approval of the SEIAA, as applicable.	Change in mining technology, scope of working & further expansion or modifications in the mine will be carried out only after with a prior approval of the SEIAA.
G-41	The project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.	Ensured that no natural water course and/or water resources were obstructed due to any mining operations.
G-42	Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board. Water sprinkling should be increased at places loading and unloading points & transfer point to reduce fugitive emissions.	Scrupulously follows the directions contained as per the conditions. The result of monitored data is provided in **ANNEXURE 7**.
G-43	The top soil, if any, shall temporarily be stored at earmarked site(s) only for the topsoil shall be used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dumpsite(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of dumps shall be maintained to 45^0.The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface runoff. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.	The top soil is temporarily stored at earmarked site(s) only for the topsoil shall be used for land reclamation and plantation. The over burden (OB) generated during the mining operations also stacked at earmarked dumpsite(s) only. The maximum height of the dumps is not allowed to exceed 8m and width 20m and overall slope of dumps are maintained to 45^0.The OB dumps are scientifically vegetated with suitable native species to prevent erosion and surface runoff.. The entire excavated area will be backfilled at the reclamation period. Monitoring and management of rehabilitated areas will continue until the vegetation becomes self-sustaining.

G-44	Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly in to the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green development etc. The drains shall be regularly de silted particularly after monsoon and maintained properly.	The project proponent ensured that all storm water from the mining area flow in to the pond. The project has constructed storm water drains in the lower slopes of the project area for effective management of storm water. This helps to channelize the storm water to the rain water collection pond and the most of the debris are settling down at the bottom of the pond. The clarifiers will be installed soon.

G-45	Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM10 and PM2.5 such as haul road, loading and unloading points and transfer points-it shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	Scrupulously follows the directions contained and ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard. **ANNEXURE 7**
G-46	Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained	The emission of dust is a major adverse effect of a mining industry. To prevent dust emission, water tanker sprinklers are using in the project site This help to suppress dust during the time summer season. The monitoring of the air quality through a State Pollution Control Board accredited laboratory helps the project proponent to maintain the air quality within the permissible limit. The monitoring report is attached in **ANNEXURE 7.**
G-47	Measures should be taken for control of noise levels below 85dBA in the work environment.	Measures have been taken for the control of noise levels below 85DbA in the work environment. **ANNEXURE -7**

G-48	A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.	A separate environmental management cell with suitable qualified personnel has been set-up under the control of a Senior Executive, who will report directly to the Head of the Organization. **INDEX IV C**
G-49	The funds earmarked for environmental protection measures and CSR activities should be kept in separate account and should not be diverted for other purposes. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office.	The funds earmarked for environmental protection measures and CSR activities are being kept in separate account and have not been diverted for other purposes. Year wise expenditure will be reported to the State Environment Impact Assessment Authority (SEIAA) office. **ANNEXURE 6**
G-50	The Regional office of MOEF &CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer(S) of the Regional Office by furnishing the requisite data/information/monitoring reports.	The Regional office of MOEF &CC located at Bangalore will monitor compliance of the stipulated conditions. The project authorities will extend full cooperation to the officer(S) of the Regional Office by furnishing the requisite data/information/monitoring reports.
G-51	Any appeal against this Environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under section 16 of the National Green Tribunal Act , 2010.	Strictly follow the rules and scrupulously follows the directions contained.
G-52	Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986	Strictly follow the rules, if any factual data is concealed or false/fabricated data is submitted and failure to comply with any of the conditions mentioned above is found.
G-53	The SEIAA may revoke or suspend the order, for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environment protection.	SEIAA can revoke any order if any of the specific or this implementation of any of the above conditions is not satisfactory.
G-54	The above conditions shall prevail not withstanding anything to the contrary, in consistent, or simplified, contained in any other permit, license on consent	Yes, all the above conditions shall prevail not withstanding anything to the contrary, in consistent, or simplified, contained in any other permit, license on consent given by any

	given by any other authority for the same project.	other authority for the same project.
G-55	This order is valid for a period of 5 years or the expiry date of mine lease period issued by the Government of Kerala, whichever is earlier.	Yes, this order is valid for a period of 5 years or the expiry date of mine lease period issued by the Government of Kerala, whichever is earlier.
G-56	The Environmental Clearance will be subject to the final order of the courts in any pending litigation related to the land or project, in any court of law.	Yes, the Environmental Clearance is subjected to the final order of the courts in any pending litigation related to the land or project, in any court of law.
G-57	The mining operation shall be restricted to above ground water table and it should not intersect ground water table.	The mining operation has been restricted to above ground water table and it will not intersect ground water table.
G-58	All vehicles used for transportation and within the mines shall have 'PUC' certificate from authorized pollution taking center. Washing of all vehicles shall be inside the lease area.	All vehicles used for transportation and within the mines are with 'PUC' certificate from authorized pollution taking center. Washing of all vehicles are allowed only inside the lease area.
G-59	Project proponent should obtain necessary prior permission of the competent authorities for drawal of requisite quantity of surface water and ground water for the project.	Project proponent has obtained necessary prior permission of the competent authorities for drawal of requisite quantity of surface water and ground water for the project.
G-60	Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six monthly reports to SEIAA.	Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area will be carried out and reported in the 6 monthly reports to SEIAA.
G-61	Occupational health surveillance program of the workers should be under taken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Occupational health surveillance program of the workers will be done periodically to observe any contractions due to exposure to dust and corrective measures will be taken, if needed.

IV.a. DRILLING

The excavation of mineral is proposed by excavators. The mineral is fractured and easily exploitable by rock breakers and excavators. The hard strata are proposed to excavate after drilling and blasting. The cross-sectional view of drilling operations is shown below:-



Salient features of drilling

- About 30 to 50 holes per blast of 32 mm dia and to a depth of 2 to 2.5m will be adopted.
- It is estimated about 2 to 3 T production per hole.
- Number of blasts per day depends upon the workable area and production to be achieved.
- The spacing of 1.0 to 1.5m between the holes will be adopted.
- About 250g per hole of explosive will be used. However, 10 kg/blast will be adopted at any point of time.
- Millisecond electric blasting will be adopted to limit the PPV and Noise levels within the stipulated standards.

IV.b. BLASTING

The controlled blasting is proposed by adopting all the safety measures as per "MMR 1961" and with the permission of DGMS.

In this area for fragmentation of granite the blasting will be conducted. Multiple blast holes of 1.0 to 1.5 m depth will be drilled with the help of 32 mm drill rod, Jack Hammer and Air Compressor of 100 cfm capacity.

It is estimated about 250 g of explosives per hole is required. About 30 – 50 holes per blast are proposed. Therefore, the requirement of explosives will be about 10 kg/ blast.

2.6.6.1 BLASTING SAFEGUARD

- Blasting in the open cast pits will be done only during day time at designated hours.
- Only competent blasters will be appointed to handle explosive.
- Explosives will be stored in approved and licensed magazine as per Explosive Act/ Rules.
- Explosives will be brought from magazine to blasting site in licensed Explosive Van under the care of blaster.
- Sufficient warning signals will be given before blasting the holes.
- Guards will be posted on all roads and paths at least250 m distance to stop entrance to the danger zone during blasting hour.
- Controlled blasting will be practiced to control vibrations and flying fragments.
- Optimum charge will be used, while blasting near office complex/ infrastructure site.
- Maximum charge per delay will always be less than 10kg to limit the PPV levels within the DGMS standards of 15 mm/sec.

IV.c. ENVIRONMENTAL MONITORING CELL

An environmental monitoring cell was formed with **Mr. Jibin Jacob (Current Managing Partner)** head of the monitoring cell and made functional. Meeting of monitoring cell is arranged monthly and discuss the status of the compliance of the specific and general conditions contained in the Environmental clearance order. The details of the monitoring cell members are given below:-

Sl. No.	Post	Name
1	Head of the monitoring cell	**Mr. Jibin Jacob (Current Managing Partner)**
2	Head in charge (Environment)	Mr.Jomon Joseph
3	Senior Environmental Officer	Mr. Joi
4	Environmental Officer	Mr. Rafeeque Rahman
5	Name of the environmental officer in charge	Mr. Murshid
6	Name of the officer Environment, Health and safety	Mr. Santo
7	Name of Environment, Health and safety In charge	Mr. Jomon joseph
8	Name of the environmental consultant	GEC Mining Solutions

IV.d. TREES IN THE SITE

Natural vegetation including trees, shrubs and herbs present in the quarry site are mentioned in the table below:-

Sl No.	Scientific Name	Common Name	Family
1	Heveabrasiliensis	Rubber	Euphorbiaceae.
2	Bambusa vulgaris	bamboo	Bambusoideae
3	Swieteniamacrophylla	Mahagony	Meliaceae
4	Gliricidia sepium	Seemakonna	Fabaceae

ANNEXURE 1

AFFIDAVIT FOR ECO-RESTORATION

भारतीय गैर न्यायिक

भारत INDIA

रु. 500 FIVE HUNDRED RUPEES

पाँच सौ रुपये Rs. 500

सत्यमेव जयते

INDIA NON JUDICIAL

കേരളം केरल KERALA N 622713

AFFIDAVIT

I, Mr. Jibin Jacob, Managing partner & Authorized Signatory of M/s Popular Sand and Metals., do hereby affirm and confirm as follows:-

Ref: EC No. 32/2017 (File No: 874/SEIAA/EC1/3105/2015) -Dated: 02/05/2017

1. That, I propose to develop a quarry project at Survey No: 42/2 pt, 42/3 pt & 43/4 in Oorakam Village, Thirurangadi Taluk, Malappuram District, Kerala. for an area of **3.8675 Ha**
2. That, the eco-restoration including the mine closure plan will be done at our expenses.

Verification:

Verified that my above statements are true to the best of my knowledge and belief and no material has been concealed therein.

Deponent : JIBIN JACOB

Place: Ernakulam
Date: 01/07/2024

Mr. LALGI.P.THOMAS B.A., LL.B.
ADVOCATE-K/689/87
NOTARY Reg. No. 14/2001/EKM
High Court of Kerala
Lawyer's Chamber
1st Floor, Door No: 129
Kochi-31, Mob: 9447302591, 949577591

Solemnly affirmed and signed before me by the deponent on this 01st day of July 2024 at my office at Ernakulam

NOTARY Mr. LALGI.P.THOMAS ADVOCATE & NOTARY KOCHI CORPORATION Reg. No. 14/2001/EKM SPECIAL ADHESIVE 13/03/2026 NOTARY OF KERALA

Value of Rs. 500 Date 11/7/2024
Sold to
SHAMEER C.A.
HIGH COURT VENDOR
ERNAKULAM

Jibin Jacob
Managing Partner
Popular Sand & Metals
Oorakam

DISTRICT STAMP DEPOT 01 JUL 2024 ERNAKULAM

ANNEXURE 2

EXPLOSIVE LICENSE

भारत सरकार | Government of India
वाणिज्य और उद्योग मंत्रालय | Ministry of Commerce & Industry
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पेसो) | Petroleum & Explosives Safety Organisation (PESO)
पूर्व नाम- विस्फोटक विभाग | Formerly- Department of Explosives
A और D - विंग, ब्लॉक 1-8, दूसरा तल, शास्त्री भवन | A & D - Wing, Block 1-8, IInd Floor, Shastri Bhavan
26 हड्डोउस रोड, नुंगम्बक्कम चेन्नै | 26 Haddous Road, Nungambakkam Chennai 600006
फोन (Phone):- 28281023 | फैक्स (Fax):- 28284848

संख्या (No.): **E/SC/KL/22/790(E34591)** दिनांक (Date): 20/11/2023

सेवा में | To,

M/s. Popular Sand and Metals,
Mng. Partner. Shri. Jibin Jacob, Town/Village - Ooramana P.O.
District-ERNAKULAM, State-Kerala, Pincode - 686663

विषय : Survey No(s).42/2,42/3, ग्राम Oorakam Village, जिला MALAPPURAM, राज्य Kerala में मेसर्स **M/s. Popular Sand and Metals** द्वारा विस्फोटक के मैगजीन में उपयोग के लिए कब्जा हेतु विस्फोटक नियम, 2008 के अंतर्गत LE-3 में जारी अनुज्ञप्ति सं E/SC/KL/22/790(E34591) के संशोधन संदर्भ में।
(डाक पते में परिवर्तन)

Subject: **Possession for Use of of Explosives from magazine situated at Survey No(s).:42/2,42/3, Oorakam Village, Dist. MALAPPURAM, Kerala -Licence No.: E/SC/KL/22/790(E34591) granted in Form LE-3 of Explosives Rules, 2008 -**
(Change in Postal Address).

महोदय | Sir,

आपका उपर्युक्त विषय पर पत्र संख्या 101677 दिनांक 20/11/2023 का संदर्भ ग्रहण करें।
Please refer to your letter no. 101677 dated 20/11/2023.

अनुज्ञप्ति संख्या E/SC/KL/22/790(E34591) **डाक पते में परिवर्तन** के संदर्भ में यथा संशोधित कर भेजी जा रही है।
The Licence No.: E/SC/KL/22/790(E34591) is forwarded herewith duly amended in respect of followings ;

Change in Postal Address as above

किसी भी एक समय में लाइसेंस क्षमता निम्नलिखित वर्ग तथा मात्रा से अधिक नहीं होगी।
The licence capacity at any one time shall not exceed the kinds and quantities mentioned below ;

संख्या No	विस्फोटक Explosive(s)	वर्ग Class	प्रभाग Div	उप-प्रभाग Sub Div	क्षमता Capacity	इकाई Unit
1	Nitrate Mixture	2	0	0	150	Kg.
2	Safety Fuse	6	1	0	2000	Mtrs
3	Ordinary/Electric/Non Electric Detonators	6	3	0	2000	Nos.

किसी एक कलैंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा (अनुच्छेद 3 (ख) और (ग) के अधीन अनुज्ञप्ति के लिए लागू) : **28 गुना**
Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)] : **28 times as above.**

यह अनुज्ञप्ति दिनांक **31 मार्च 2026** तक प्रवृत्त रहेगी।
This Licence shall remain valid till **31st day of March 2026.**

अनुज्ञप्ति के आगामी नवीकरण हेतु कृपया विस्फोयटक नियम, 2008 के नियम 112 के अंतर्गत प्रक्रिया का पालन करें। कृपया पावती दें।
For further revalidation(if required), please follow the procedure under Rule 112 of Explosives Rules, 2008. Receipt of this letter may please be acknowledged.

भवदीय | Your`s faithfully

(डा.टी.एल.थनुलिंगम | Dr. T. L. THANULINGAM)
संयुक्त मुख्य विस्फोटक नियंत्रक | Joint Chief Controller of Explosives
|
दक्षिणांचल, चेन्नै | South Circle, Chennai

प्रतिलिपि प्रेषित | Copy Forwarded to:

1. उप मुख्य विस्फोटक नियंत्रक कोच्ची
   The Dy. Chief Controller of Explosives, Kochi
2. District Magistrate, MALAPPURAM, Kerala with reference to his Noc No: No.C6..23944/07/K.Dis Dated: 23/01/2008
3. Superintendent of Police, MALAPPURAM, Kerala.

संयुक्त मुख्य विस्फोटक नियंत्रक | Joint Chief Controller of Explosives
दक्षिणांचल, चेन्नै | South Circle, Chennai

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क आदि के लिए हमारी वेबसाइट http://peso.gov.in देखें.)
(For more information regarding status,fees and other details please visit our website http://peso.gov.in)

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

Digitally signed by Dr T L THANULINGAM
Reason: Licence No. : E/SC/KL/22/790
Location:Chennai [E34591]
Date:20-11-2023 15:18:50 PM

अनुज्ञप्ति प्ररुप एल. ई.-3 | LICENCE FORM LE-3

(विस्फोटक नियम, 2008 की अनुसूची 4 के भाग 1 के अनुच्छेद 3(क) से (घ) देखिए।)

(See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)

(ग) उपयोग के लिए एक समय पर वर्ग 1,2,3,4,5 या वर्ग 7 के विस्फोटक या किसी मैगजीन में वर्ग 6 के विस्फोटक रखने के लिए अनुज्ञप्ति

Licence to possess : (c) for use,explosives of class 1, 2,3,4,5,6 or 7 in a magazine

अनुज्ञप्ति सं. (Licence No.) : E/SC/KL/22/790(E34591)

वार्षिक फीस रुपए (Annual Fee Rs): 2400/-

1. Licence is hereby granted to

M/s. Popular Sand and Metals (अधिभोगी / Occupier : Jibin Jacob), Mng. Partner. Shri. Jibin Jacob, Town/Village - Ooramana P.O., District-ERNAKULAM, State-Kerala, Pincode - 686663

को अनुज्ञप्ति अनुदत्त की जाती है।

2. अनुज्ञप्तिधारी की प्रास्थिति | Status of licensee : **Partnership Firm**

3. अनुज्ञप्ति निम्नलिखित प्रयोजनों के लिए विधिमान्य है।
Licence is valid only for the following purpose. : possess for use of **Nitrate Mixture, Safety Fuse, Ordinary/Electric/Non Electric Detonators,** - के उपयोग के लिए

4. अनुज्ञप्ति विस्फोटकों के निम्नलिखित किस्मों, प्रकार और मात्रा के लिए विधिमान्य है।
Licence is valid for the following kinds and quantity of explosives: -- (क) (a)

क्र Sr. No.	नाम और विवरण Name and Description	वर्ग और प्रभाग Class & Division	उप-प्रभाग Sub-division	मात्रा किसी एक समय में Quantity at any one time
1.	Nitrate Mixture	2 ,0	0	150 Kg.
2.	Safety Fuse	6 ,1	0	2000 Mtrs
3.	Ordinary/Electric/Non Electric Detonators	6 ,3	0	2000 Nos.

(ख) किसी एक कलैंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा [अनुच्छेद 3(ख) और (ग) के अधीन अनुज्ञप्ति के लिए]
(b) Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)] : **28 times as above.**

5. निम्नलिखित रेखाचित्र (रेखाचित्रों) से अनुज्ञप्त परिसर की पुष्टि होती है।
The licensed premises shall conform to the following drawing(s): . : रेखाचित्र क्र. (Drawing No.) E/SC/KL/22/790(E34591)
दिनांक (Dated) 21/04/2006

6. अनुज्ञप्ति परिसर निम्नलिखित पते पर स्थित हैं। The licensed premises are situated at following address:
Survey No(s). 42/2,42/3 , ग्राम (Town/Village) : **Oorakam Village** **पुलिस थाना (Police Station) : Vengara**

जिला (District)	**MALAPPURAM**	राज्य (State)	**Kerala**	पिनकोड (Pincode)
दूरभाष (Phone)		ई. मेल (E-Mail)		फैक्स (Fax)

7. अनुज्ञप्ति परिसर में निम्नलिखित सुविधाएं अंतर्विष्ट हैं।
The licensed premises consist of following facilities. : **One Mini Explosives Magazine and Detonator room and D(671) type portable magazine fabricated by M/s. Thekkans TOTAL MINI MAGAZINE AND A PORTABLE MAGAZINE ADDED**

8. अनुज्ञप्ति समय – समय पर यथासंशोधित विस्फोटक अधिनियम, 1884 और उनके अधीन विरचित विस्फोटक नियम, 2004 के उपबंधो, शर्तों और अतिरिक्त शर्तों और निम्नलिखित उपाबध्दों के अधीन रहते हुए अनुदत्त की जाती है।
The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.
   1. उपर्युक्त क्रम सं. 5 में यथा कथित रेखाचित्र (स्थान, सन्निर्माण संबंधी और अन्य विवरण दर्शित करते हुए)।
   Drawings (showing site, constructional and other details) as stated in serial No. 5 above.
   2. अनुज्ञप्ति प्राधिकारी व्दारा हस्ता.क्षरित इस अनुज्ञप्ति की शर्तें और अतिरिक्ति शर्तें।
   Conditions and Additional Conditions of this licence signed by the licensing authority.
   3. दूरी प्ररूप DE-2 | Distance Form DE-2.

9. यह अनुज्ञप्ति तारीख **31 मार्च 2008** तक विधिमान्य रहेगी। This licence shall remain valid till **31st day of March 2008.**
यह अनुज्ञप्ति, अधिनियम या उसके अधीन विरचित नियमों या अनुसूची V के भाग 4 के प्रति निर्दिष्ट सेट-VII के अधीन तथा उपवर्णित इस अनुज्ञप्ति की शर्तों का अधिक्रमण करने या यदि अनुज्ञप्त परिसर योजना या उससे संलग्न उपबंध में दर्शित विवरण के अनुरूप नहीं पाए जाने पर निलंबित या प्रतिसंहृत की जा सकती है, जहां वह लागू हो।
This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

तारीख | The Date - 21/04/2006

संयुक्त मुख्य विस्फोटक नियंत्रक | Joint Chief Controller of Explosives
South Circle, Chennai

Amendments :
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 07/11/2017
- Amendment in Drawings/Facilities/Premises dated : 07/11/2017
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 05/11/2021
- Change in Authorized Signatory/Occupier/Partners/Directors dated : 20/11/2023
- Change in Postal Address dated : 20/11/2023

Transfers :
- Change in Licensee Name/Address/Status dated : 03/02/2014
- Change in Licensee Name/Address/Status dated : 18/12/2017
- Change in Licensee Name/Address/Status dated : 20/11/2023

नवीनीकरण के पृष्ठांकन के लिए स्थान
Space for Endorsement of Renewal

नवीकरण की तारीख Date of Renewal	समाप्ति की तारीख Date of Expiry	अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प Signature of licensing authority and stamp
05/11/2021	31/03/2026	Sd/- Dy. Chief Controller of Explosives, Ernakulam

(सेट VIII | Set VIII)

मैगजीन में वर्ग 1,2,3,4,5,6, और 7 के विस्फोटकों को बिक्री या प्रयोग हेतु रखने के लिए प्ररूप एल.ई. 3 [अनुच्छेद 3 (ख) से (ग)] में मुख्य विस्फोटक नियंत्रक या विस्फोटक नियंत्रक व्दारा प्रदान किए जाने वाले अनुज्ञप्ति सं. E/SC/KL/22/790(E34591) की शर्तें निम्नलिखित हैं ।

The following are the conditions of licence number E/SC/KL/22/790(E34591) to possess for sale or use, explosives of Class 1,2,3, 4, 5, 6 and 7 in a magazine in Form LE-3 (articles 3(b) to (c)) granted by Chief controller of Explosives or Controller of Explosives.

---

1. परिसर में किसी भी समय विस्फोटकों की मात्रा अनुज्ञापन योग्य सामर्थ्य से अधिक नहीं होगी ।
   The quantity of explosives on the premises at any one time shall not exceed the licensable capacity.
2. विस्फोटकों के भंडारण के लिए प्रयुक्तर होने वाली मैगजीन अनुसूची III और अनुज्ञप्ति के उपाबंध में विनिर्दिष्ट सुरक्षा दूरी बनाए रखना होगा।
   The magazine used for storage of explosives shall maintain safety distance specified in Schedule III and annexure to the licence.
3. मैगजीन का प्रयोग उन सभी विस्फोटकों के, जो इस अनुज्ञप्ति में विनिर्दिष्ट है, रखे जाने के लिए और ऐसे रखे जाने से संबध्द आधान या औजार या उपकरणों के रखे जाने के लिए ही किया जाएगा; अन्यथा नहीं ।
   The magazine shall be used only for keeping all explosives specified in this licence and of receptacles for, or tools or implements for work connected with the keeping of such explosives.
4. पैकजों को खोलने का कार्य और विस्फोटकों को तौलने तथा पैक करने का कार्य मैगजीन में नहीं किया जाएगा ।
   The opening of packages and the weighing and packing of explosives shall not be carried on in the magazine.
5. दो या दो से अधिक वर्णन के विस्फोटकों को, जिन्हें मैगजीन में रखे जाने की अनुज्ञा दी जा सकती है, मैगजीन में तभी रखे जाएंगे जब उनमें से प्रत्येक को, ऐसे पदार्थ या स्वरूप का कोई मध्यवर्ती विभाजक लगाकर या उनके बीच ऐसा मध्यवर्ती स्थान छोड़कर, परस्पंर पृथक कर दिया जाए कि किसी वजह से विस्फोटक में लगने वाली आग या होने वाला विस्फोट किसी अन्य वर्णन के विस्फोटक तक न पहुंच सके : परंतु –
   (घ) 2 (नाइट्रेट मिश्रण), वर्ग 3 (नाइट्रो योगिक) के विभिन्न विस्फोटक, वर्ग 6 प्रथम प्रभाग के अंतर्गत आने वाले सुरक्षा पलीते और वर्ग 6 प्रभाग 2 के अंतर्गत आनेवाले विस्फोटक प्रेरक पलीते, जिनमें कोई खुला लोहा या इस्पात नहीं है, एक दूसरे के साथ बिना किसी मध्यवर्ती विभाजक या स्थायन के रखे जा सकते हैं ।
   (ड) वर्ग 6 प्रभाग 3 के अंतर्गत आनेवाले विस्फोटक प्रेरक अलग रखे जाएंगे ।
   (च) वर्ग 1 के अंतर्गत आने वाले बारूद को अलग रखा जाएगा ।
   Two or more description or explosives which may be permitted to be kept in the magazine shall be kept only if they are separated from each other by an intervening partition of such substance or character, or by such intervening space, as will effectually prevent explosion or fire in the one communicating with the other; Provided that—
   (d) the various explosives of Class 2 (nitrate-mixture), Class 3 (nitro-compound), safety fuses belonging to Class 6 Division 1and detonating fuses belonging to Class 6 Division 2 as do not contain any exposed iron or steel, may be kept with each other without any intervening partition or space ;
   (e) Detonators belonging to Class 6 Division 3 shall be kept separately.
   (f) Gun powder belonging to Class 1 shall be kept separately.
6. वर्ग 3 (नाइट्रो योगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात सिवाय अनुज्ञापन प्राधिकारी की विशेष मंजूरी के मैगजीन में नहीं रखा जाएगा ।
   Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of licensing authority.
7. वर्ग 3 (नाइट्रो योगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात मैगजीन में तभी रखा जाएगा जब कि किसी विस्फोटक नियंत्रक ने इसके लिए विशेष मंजूरी दे दी हो ।
   (i) जब ऐसी मंजूरी दे दी गई हो तो प्रत्येक निरीक्षण पर किसी विस्फोटक नियंत्रक से ऐसा लिखित प्रमाणपत्र अभिप्राप्त कर लिया जाए जिसमें दी गई मंजूरी के अंतर्गत आनेवाली अवधि दर्शित की गई हो और ऐसे प्रमाणपत्र के अनुज्ञप्तिधारी अपने पास रखेगा और मांग की जाने पर प्रस्तुरत करेगा ।
   (ii) जब कोई विस्फोटक मानक शुध्दता का न रह जाने के कारण या द्रवणीकरण या नाइट्रो ग्लीअसरीन या द्रव नाइट्रो योगिक के निकल जाने के चिन्ह प्रकट होने के कारण मैगजीन में भण्डारित किए जाने के उपयुक्त नहीं रह जाता है तो अनुज्ञप्तिधारी अपने ही व्यय पर ऐसे विस्फोटक के निपटारे के लिए ऐसे निदेशों का अनुपालन करेगा जो मुख्य नियंत्रक या विस्फोटक नियंत्रक जारी करें ।
   Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of the Controller of Explosives.
   (i) When such sanction has been given, a written certificate showing the period covered by the sanction shall be obtained from the Controller of Explosives at each inspection, and shall be kept by the licensee and produced on demand.
   (ii) When an explosive owing to its being no longer of standard purity or owing to signs of liquefaction or of exuded nitro-glycerin or liquid nitro-glycerin or liquid nitrocompound is no longer fit for storage in the magazine or store house the licensee shall comply, at his own expense, with such directions as to its disposal as the Chief Controller or Controller of Explosives may issue.
8. मैगजीन के भीतरी भाग या उसमें लगी बैंचो, शेल्फों और उसकी फिटिंग का इस प्रकार सन्निर्माण किया जाएगा या उन्हें इस प्रकार अंतरित या अवतरित किया जाएगा कि विस्फोटक का किसी लोहे या इस्पात के साथ संपर्क रोका जा सके । भीतरी भाग में लगी बेंचे, शैल्फें और फिटिंग यथासाध्य ग्रिट से मुक्त एवं साफ रखे जाएंगे तथा ऐसे विस्फोटक, जो जल से खतरनाक रूप में प्रभावित हो सकते हैं, इस बाबत सम्यक सावधानी बरती जाएगी कि वहां कोई जल मौजूद न रहे : परंतु किसी लोहे या इस्पात के खुले होने के विरूध्द सावधानी से संबंधित इस शर्त का वह भाग ऐसे किसी भवन में बाध्येकर नहीं होगा जिसमें वर्ग 6 (गोला बारूद) के प्रथम के विस्फोटक से भिन्न कोई विस्फोटक रखा गया है ।
   The interior of the magazine and the benches, shelves and fittings therein shall be so constructed or so lined or covered as to prevent the exposure of any iron or steel contact with the explosives. Such interior, benches, shelves and fittings shall so far as is reasonably practicable, be kept free from grit and shall otherwise be clean; and in the case of any explosives liable to be dangerously affected by water, due precautions shall be taken to exclude water there from;
   Provided that so much of this condition as relates to precautions against the exposure of any iron or steel shall not be obligatory in a building in which no explosive other than explosive of the 1st Division 6th (Ammunition) Class is kept.
9. यदि तड़ित चालक का परीक्षण विस्फोटक नियंत्रक करता है तो अनुज्ञाप्तिधारी ऐसे परीक्षण के लिए विहित फीस का संदाय करेगा यदि परीक्षण असमाधानकारी साबित होता है तो उतनी ही फीस अनुज्ञप्तिधारी व्दारा पश्चात्वर्ती प्रत्येक परीक्षण के लिए तब तक दी जाती रहेगी जब तक कि परीक्षण अधिकारी तडित चालक को समाधानप्रद घोषित नहीं कर देता :
   परंतु किसी एक परीक्षण के लिए देय फीस किसी एक दिन के दौरान किसी चालक के किए गए सभी परीक्षणों के लिए प्रभार्य होगा :
   परंतु यह और कि यदि दो या अधिक तड़ित चालक एक ही मैगजीन से संबध्द हैं तो ऐसे सभी चालकों के परीक्षण के लिए फीस ऐसी किसी फीस से अधिक नहीं होगी जो किसी एक तडित चालक के परीक्षण के लिए हर स्थिति में विहित की गई है ।
   If the lighting conductor is tested by the Controller of Explosives, the licensee shall pay the fees prescribed for test. In the even of the test proving unsatisfactory, the same fees shall be payable by the licensee for each subsequent test until the lighting conductor is passed by the testing officer as satisfactory:
   Provided that the fees payable for a single test shall be charged for all tests made on a conductor during any one day :

   Provided further that where two or more lighting conductors are attached to one and the same magazine, the fee for the testing of all such conductors shall not exceed the fee prescribed in this condition for testing a single lighting conductor.
10. उपयुक्त तथा जेब रहित कार्यकरण वस्त्रों , उपयुक्त जूतों के प्रयोग व्दारा तथा तलाशी लेकर या अन्यथा अथवा ऐसे किन्हीं साधनों व्दारा इस बाबत सम्यक उपबंध किया जाएगा कि फैक्ट्री परिसर में अग्नि, दियासलाई अथवा ऐसी कोई वस्तुोएं या पदार्थ, जिससे विस्फोट हो सकता है या आग लग सकती हो, किन्तु इस शर्त के कारण ऐसी संरचना, स्थिति या स्वरूप में किसी कृत्रिम बत्ती का प्रवेश वर्जित नहीं है जिससे आग लगने या विस्फोट होने का खतरा न हो :
    परंतु इस शर्त का वह भाग, जो लोहे या इस्पात के अपवर्जन को लागू होता है, ऐसे किसी भवन के संबंध में बाध्य कर नहीं होगा जिससे भिन्न कोई विस्फोटक नहीं रखा गया है ।
    Due provisions shall be made, by the use of suitable working clothes without pockets, suitable shoes and by searching or otherwise or by such means, for preventing the introduction into danger area of the factory premises of fie, Lucifer matches or any substance or article likely to cause explosion or fire, but this condition shall not prevent the introduction of an artificial light of such construction, position or character as not to cause any danger of fire or explosion:
    Provided that so much of this condition as applies to the exclusion of iron or steel, shall not be obligatory in a building in which no explosive other than an explosive of the 1st Division of the 6th (Ammunition) Class is kept.

11. अनुज्ञाप्तधारी प्ररूप आर.इं.-3 और आर.इं.-4 या आर.इं.-5, जैसी स्थिति हो, में सभी विस्फोटकों का अभिलेख और लेखा रखेगा और विस्फोटक नियम, 2008 के अधीन प्राधिकृत किसी भी अधिकारी के समक्ष उसके व्दारा ऐसा करने की मांग की जाने पर स्टाक पुस्तक और अभिलेख प्रस्तुत करेगा । स्टाक पुस्तक विहित प्रोफार्मा में पृष्ठ संख्यांकित होगी ।
The licensee shall keep records and accounts of all explosives in Forms RE-3 and RE-4 or RE-5, as the case may be, and exhibit the stock books and records to any of the officers authorised under the Explosives Rules, 2008 whenever such officer may call upon him to do so. The stock books in the prescribed proforma shall be page numbered.
12. परिसरों में कोई परिवर्तन या तबदीली अनुज्ञापन प्राधिकारी के पूर्वानुमोदन बिना नहीं की जाएगी और अनुज्ञप्तिधारी ऐसी किसी शर्त का अनुपालन करेगा जो इस निमित्त अनुज्ञापन प्राधिकारी विनिर्दिष्ट करें ।
No changes or alterations shall be carried out to the premises without prior approval of the licensing authority and the licensee shall comply with any condition that may be specified by the licensing authority in this behalf.
13. मैंगजीन सभी समयों पर अच्छी मरम्मत की स्थिति में बनाई रखी जाएगी (या अच्छी हालत में बनाई रखी जाएगी) । यदि किसी कारणवश किसी विस्फोटक के भण्डारण के लिए मैगजीन अनुपयुक्त हो जाती है तो अनुज्ञप्तिधारी इस बात की सूचना अनुज्ञापन प्राधिकारी को तुरंत देगा ।
Magazine shall at all times be kept in state of good repair (or maintained in good condition). The licensee shall report to licensing authority forthwith, if the magazine becomes unfit for storage of any explosives for any reason whatsoever.
मैंगजीन का अनुज्ञप्तिधारी इन नियमों के नियम 24 के उप-नियम 3 के अनुसार त्रैमासिक विवरणी प्रस्तुत करेगा ।
The licensee of the magazine shall submit quarterly return as per sub-rules (3) and (4) of rule 24 of these rules.
14. यदि सुरक्षा दूरी का कोई अधिक्रमण होता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को आवश्यक सलाह और कार्यवाही के लिए तुरंत दी जाएगी ।
Any encroachment of the safety distance shall be immediately communicated to the licensing authority for necessary advice and action.
15. यदि कोई विस्फोटक विनष्ट हुआ अथवा अनुपयोगी जाया जाता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को, सलाह प्राप्त करने के लिए, तुरंत दी जाएगी ।
The licensing authority shall be immediately informed for advice if any explosive is found deteriorated or unserviceable.
16. विस्फोटकों के पैकेटों के चट्टे इस प्रकार लगाए जाएंगे कि कम से कम एक व्यक्ति भण्डार किए गए सभी पैकजों की हालत की जांच करने और प्रत्येक पैकेज की विनिर्माण विशिष्टियों को पढ़ने के लिए उनके बीच से होकर आ जा सके ।
The explosive packages shall be stocked in such a way so as to allow movement of at least one person to check the condition of all packages stored and to read the manufacture particulars of each package.
तडित चालकों की भूमि के लिए प्रतिरोध यथासंभव न्यूनतम होगा और किसी भी दशा में 10 ओह्म से अधिक नहीं होगा ।
The resistance of the lightning conductor to earth shall be as low as possible and in no case be more than 10 ohms.
17. मैगजीन के चारों ओर 15 मीटर की दूरी के अंतर्गत कोई शुल्क घास या झांड़ी या ज्वलनशील सामग्री नहीं रहने दी जाएगी ।
A distance of 15 meters surrounding the magazine or store house shall be kept clear of dried grass or bush or flammable materials.
18. विस्फोटकों के प्रत्येक पैकेट की, जब उसे मैगजीन के भीतर लिया जा रहा हो, ठीक दशा जानने के लिए परीक्षा की जाएगी ।
Every package of explosive at the time of bringing inside the magazine shall be examined for its sound condition.
19. किसी मैगजीन / भंडारगृह में किसी एक समय में चार व्यक्तियों से अधिक को नहीं रहने दिया जाएगा ।
Not more than 4 persons shall be allowed inside the magazine or store house at any one time.
20. विस्फोटकों के खाली पैकजों को शीघ्रतिशीघ्र वहां से हटा दिया जाएगा और नष्ट कर दिया जाएगा ।
Empty packages of the explosives shall be removed at the earliest and destroyed. \
21. अनुज्ञप्तिधारी और कर्मचारीयों को परिसर के भीतर आपातकाल के दौरान की जाने वाली प्रक्रियाओं से अवगत होना चाहिए ।
The licensee and the employee shall be conversant with procedure to be taken during the emergency within the premises.
22. निरीक्षण या नमूना अधिकारी को सभी युक्तियुक्त समयों पर अनुज्ञत परिसर में अबाध रूप से पहुंचने दिया जाएगा और यह सुनिश्चित करने के लिए कि अधिनियम और इन नियमों के उपबंधो और सुरक्षा स्थितियों को सम्यकत: अनुपालन किया जा रहा है, अधिकारी को प्रत्येक सुविधा प्रदान की जाएगी ।
Free access to the licensed premises shall be given at all reasonable times to any inspecting or sampling officer and every facility shall be afforded to the officer for ascertaining that the provisions of the Act and these rules and the safety conditions are duly observed.
23. यदि अनुज्ञापन प्राधिकारी या विस्फोटक नियंत्रक अनुज्ञप्तिधारक को अनुज्ञात परिसरों या मशीनरी, टूल या उपकरण में ऐसी कोई मरम्मत या परिवर्धन या परिवर्तन करने या सिफारिशों को लागू करने को लिखित रूप में सूचित करता है जो परिसर के अंदर या बाहर या व्यक्तियों की सुरक्षा के लिए आवश्यक है, अनुज्ञाप्तिधारक सिफारिशों को निष्पादित करेगा और विनिर्दिष्ट अवधि के भीतर अनुपालन रिपोर्ट ऐसे प्राधिकारी को देगा ।
If the licensing authority or a Controller of Explosives informs in writing, the holder of the licence to execute any repairs or to make any additions or alterations to the licensed premises or machinery, tools or apparatus or carry out recommendations, which are in the opinion of such authority may pose unacceptable risk and so necessary for the safety of either on-site or off-site of the premises or persons, the holder of the license shall execute the recommendations and report compliance within the period specified by such authority.
24. अनुज्ञप्तिधारी मैगजीन में रखने और बिक्री के लिए प्राधिकृत विस्फोटक सूची में उल्लिखित अनुज्ञत फैक्टरी या कंपनी से प्राधिकृत विस्फोटक / आतिशबाजी या सुरक्षा पलीते खरीदेगा ।
The licensee shall purchase authorised explosives/ fireworks or safety fuse as mentioned in the list authorised explosives from a licensed factory or company for possession and sale from the magazine.
25. निम्न से अधिक ध्वनि स्तर उत्पादित करने वाले आतिशबाजियों पटाखों की बिक्री और रखने के लिए –
(क) जो फटने की जगह से चार मीटर की दूरी पर है, 125 डी.बी.(ए1) या 145 डी.बी.(सी)पी.के. प्रतिबंधित होंगे;
(ख) श्रृंखला (जुड़े हुए पटाख) को गठन करने वाले व्यक्तिगत पटाखों के लिए उपर्युक्त उल्लिखित सीमा 5 लॉग.10(एन) डी.बी. (सी) पी.के.प्रतिबंधित होंगे ;
The possession and sale of fire-crackers generating noise level exceeding;
a) 125 dB(AI) or 145 dB(C)pk at 4 meters distance from the point of bursting shall be prohibited;
b) For individual fire-cracker constituting the series (joined fire-crackers), the above mentioned limit be reduced by 5 log10 (N) dB, where N = number of crackers joined together.
26. आग या विस्फोट व्दारा दुर्घटना या नुकसान पटाखों की कमी या चोरी, तुरंत पास के पुलिस थाने और अनुज्ञापन प्राधिकारी और अनुज्ञापन प्राधिकारी के स्थानीय कार्यालय को रिपोर्ट की जाएगी ।
Accidents by fire or explosion and losses, shortage or theft of explosives shall be immediately reported to the nearest police station and the licensing authority and local office of the licensing authority.

अतिरिक्त शर्तें / Additional Conditions :

1. अनुज्ञप्तीधारी विदेशी मूल के आतिशबाजी को ना प्रदर्शित करेगा, ना रखेगा और ना ही उसकी बिक्री करेगा । The licensee shall not exhibit, possess and sell fireworks of foreign origin.

कृते संयुक्त मुख्य विस्फोटक नियंत्रक
For Joint Chief Controller of Explosives
दक्षिणांचल, चेन्नै | South Circle, Chennai

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

Digitally signed by Dr T L THANULINGAM
Reason: Licence No. : E/SC/KL/22/790
Location:Chennai [E34591]
Date:20-11-2023 15:17:58 PM

Form DE-2
(See rule 113 of the Explosives Rules, 2008)
(Distance Form to be attached to the licence)

Safety distances required to be kept clear around magazine for high explosives or fire works or factory licence number E/SC/KL/22/790(E34591) in form LE-3 granted to M/s. Popular Sand and Metals, Mng. Partner. Shri. Jibin Jacob, Kerala- .

	Type of Structure(s)	Safety distances meters	
	Inside Safety Distances(ISD)	**M**	**UM**
1	Room or Workshop used in Connection with the Magazine	13	19
2	Any other Explosives Magazine or store House or Factory of the Applicant		
3	Magazine Office		
	Middle Safety Distances(MSD)		
4	Magazine Keeper`s or Chowkidar`s Dwelling house		
5	Railway including Minerals and Private Railways		
6	Canal (in active use) or other navigable water		
7	Dock or Pier or Jetty		
8	Public Highway or Public Road		40
9	Private Road which is PRINCIPAL means of access to a Temple, Mosque, Church, Gurudwara or other places of worships, Hospital, College, School or Factory		
10	River Embankment or Sea Embankment or Public Well		
11	Reservoir or Bounded tank/rope way		
12	Windmillor or Solar panel for Power Generation		
	Outside Safety Distances(OSD)		
13	Dwelling House		
14	Govt. and Public Building		
15	Temple, Mosque, Church or Gurudwara or other Places of Worships		
16	Shops, Market place, Public recreation and Sports Ground, College, School, Hospital, Theater, Cinema or other Building where the public are accustomed to assemble		
17	Factory		
18	Buildings or Works used for the Storage in Bulk of Petroleum, Sprit, gas, or other inflammable or hazardous substances		45
19	Building or Works used for Storage and Manufacture of Explosives or of articles which contain Explosives		
20	Aerodrome		
21	Furnace, Kiln or Chimney		
22	Quarry or mine pit head		
23	Power House or Electric Substation		
24	Wireless Station		
25	Warehouse or other Storage Building		
26	Any other Protected works		
	Overhead Electric lines		
27	Electric Power over head Transmission Lines above 440V		45
28	Electric Power over head Transmission Lines upto 440V		15

The Date : 21/04/2006

For Joint Chief Controller of Explosives
South Circle, Chennai

Amendments :
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 07/11/2017
- Amendment in Drawings/Facilities/Premises dated : 07/11/2017
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 05/11/2021
- Change in Authorized Signatory/Occupier/Partners/Directors dated : 20/11/2023
- Change in Postal Address dated : 20/11/2023

Transfers :
- Change in Licensee Name/Address/Status dated : 03/02/2014
- Change in Licensee Name/Address/Status dated : 18/12/2017
- Change in Licensee Name/Address/Status dated : 20/11/2023

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

Digitally signed by Dr T L THANULINGAM
Reason: Licence No. : E/SC/KL/22/790
Location:Chennai [E34591]
Date:20-11-2023 15:17:43 PM

ANNEXURE 3

POLLUTION CERTIFICATE

KERALA STATE POLLUTION CONTROL BOARD

FILE NO. :PCB/MLPM/ICO/R2/R14MAL475301/2023
Date of issue :30/03/2023

INTEGRATED CONSENT TO OPERATE - RENEWAL

Consent No : PCB/MLPM/ICO/R2/1656/2023

Ref : 1. PCB/CO/R1/1656/2020 dated 07/09/2020 valid up to 01/05/2022
2. CVO vide no PCB/CVO/1656/2022 dated 17/03/2022 valid up to 01/05/2023

The ' Integrated Consent to Operate' issued as per reference above to M/s QUARRY OF POPULAR SAND AND METALS, OORAKAM.PO, MELMURI, MALAPPURAM is hereby renewed up to 01/05/2028 and issued to M/s QUARRY OF POPULAR SAND AND METALS, OORAKAM.PO, MELMURI, MALAPPURAM The consent(s)/ variation order(s) cited under reference are integral part of this renewal order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

I. GENERAL

S.No.	Items	Description
1	1.13.ANNUAL FEE	Rs.30000/-
2	1.13.FEE REMITTED	Rs.90900/-
3	1.16.ACTIVITY	Quarrying of 3.5596 hectares in survey no 42/2pt,42/3pt in Oorakam Village, Thirurangadi Taluk
4	1.1. VALIDITY	01.05.2028

II. Stack Details

Stack No.	Source of Emission	Emission Rate(Nm3/Hr)	Stack Height above		Control Equipment
			Ground Level(In Meters)	Roof Level(In Meters)	

III. CONDITIONS

5.3. For renewal of the consent in case of continuance of discharge /operation of the industry, application in the prescribed form shall be submitted through the web portal of the Board through Online Consent Management & Monitoring System 2 months before the end of validity period. Late application will be

accepted only with a fine /late fee as applicable

5.21.This consent is granted on the basis of the affidavit furnished by the applicant. If the statement furnished in the affidavit find false, the consent issued will be revoked and prosecution will be launched against the unit.

5.22. This consent is granted based on the Approved scheme of mining dated 17.03.2023 from the Senior Geologist, M&G Dept, Malappuram and the judgement of W.P.(c) no: 5877 of 2023 dated 21st march 2023

All other conditions of the Integrated Consent to Operate issued as per reference above remain unchanged.

DATE :30/03/2023

SIGNATURE & SEAL OF ISSUING AUTHORITY
ENVIRONMENTAL ENGINEER

KERALA STATE POLLUTION CONTROL BOARD
KERALA

To
STOCK FILE

1. This digitally signed document is legally valid as per the Information Technology Act 2000

2. For verifying this document please go to krocmms.nic.in and search using date of issue/name of the unit/Application Number in “Consent Granted Applications” link in the home page of the Board’s Online Consent Management and Monitoring System.

ANNEXURE 4

PANCHAYTH LICENSE

B3-838/2023 -69	31/03/2023

ഊരകം ഗ്രാമ പഞ്ചായത്ത്

വ്യവസായം, വാണിജ്യം, സംരഭകത്വം, മറ്റ് സേവനങ്ങൾക്കുള്ള ലൈസൻസ്

(കെ.പി.ആർ ആക്ട് സെക്ഷൻ 232, FACTEOS ലൈസൻസ് ചട്ടങ്ങൾ 1996)

ലൈസൻസിയുടെ പേരും മേൽവിലാസവും	കെ.എസ് പൌലോസ്, മാനേജിംഗ് പാർട്ണർ, പോപ്പുലർ സാൻഡ് ആൻഡ് മെറ്റൽസ്,ഊരകം മേൽമുറി			
സ്ഥാപനത്തിന്റെ പേര്	**POPULAR SAND AND METALS**			
സ്ഥലനാമം	BADAMPADI OORAKM MELMURI			
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	ഊരകം വില്ലേജ് റീസർവ്വേ നമ്പർ 42/2pt,42/3pt ൽ പെട്ട സ്ഥലത്ത് കരിങ്കൽ ക്വാറി നടത്തുന്നതിന്			യന്ത്രത്തിന്റെ കുതിര ശക്തി ഇല്ല
കെട്ടിട നമ്പർ	*NA*	*വാർഡ് നം*	*8*	.....
ലൈസൻസ് കാലയളവ്	**01/04/2023**		മുതൽ	**31/03/2027**
ഈടാക്കിയ ലൈസൻസ് ഫീസ്	10000	*രശീത് നമ്പർ*	1220108031	
ലൈസൻസ് അനുവദിക്കുന്നതിലേക്കായി ഹാജരാക്കിയ നിരാക്ഷേപ പത്രങ്ങളുടെ / രേഖകളുടെ വിശദാംശങ്ങൾ	**PCB VALIDITY UPTO 01/5/2028**			
	PESO VALIDITY UPTO 31/03/2026			
	EC VALIDITY EXTENDED AS PER THE INTERIM COURT ORDER WP(C) NO.5877 OF 2023			
	MINING MATES CERTIFICATE OF COMPTENCY VALIDITY UPTO 04/6/2025			
റിമാർക്സ്	PT-2500/-			
ഫയൽ നമ്പർ	B3-838/23			
തിയതി	31/3/2023			

OORAKAM GRAMA PANCHAYATH (PO) OORAKAM MELMURI Pin:679 519

സെക്രട്ടറി
ഊരകം ഗ്രാമ പഞ്ചായത്ത്
(മുദ്ര)

Secretary
Oorakam Grama Panchayath
P.O.Oorakam Melmuri
Malappuram Dt, Pin-679 519

#N/A

Copy.

ലൈസൻസി താഴേ പറയുന്ന വ്യവസ്ഥകൾ അനുസരിക്കേണ്ടതാകുന്നു. വ്യവസ്ഥകളുടെ ലംഘനം ഈ ലൈസൻസ് റദ്ദ് ചെയ്യുന്നതിനും ചട്ടപ്രകാരമുള്ള ശിക്ഷാനടപടികൾക്കും കാരണമാകാവുന്നതാണ്.

1. കേരളാ പഞ്ചായത്ത് രാജ് ആക്ടും അതേ തുടർന്നുള്ള ചട്ടങ്ങളും ബൈലകളും അനുസരിച്ചും കാലാകാലങ്ങളിലെ സർക്കാർ ഉത്തരവുകളും ഇതര വകുപ്പുകളുടെ നിർദ്ദേശങ്ങളും അനുസരിച്ച് പ്രവർത്തിക്കേണ്ടതാകുന്നു.

2. തൊഴിൽ സ്ഥലവും അതിലുള്ള സാധനസാമഗ്രികളും പഞ്ചായത്ത് അധികാരികൾക്കോ / സെക്രട്ടറി അധികാരപ്പെടുത്തുന്ന മറ്റ് ഉദ്യോഗസ്ഥർക്കോ പരിശോധിക്കുന്നതിന് ലൈസൻസി വേണ്ട സൌകര്യം നൽകേണ്ടതും അവർ ആവശ്യപ്പെട്ടാൽ ലൈസൻസ് കാണിക്കേണ്ടതുമാകുന്നു.

3. ഏത് സ്ഥലത്തിന്റെ കാര്യത്തിൽ ലൈസൻസ് നൽകിയിരിക്കുന്നുവോ ആ സ്ഥലത്ത് എല്ലാവരും കാണത്തക്ക വിധത്തിലുള്ള ഒരു ഭാഗത്ത് ലൈസൻസി തന്റെ പേരും, ലൈസൻസിന്റെ നമ്പറും ഉദ്ദേശവും കാണിക്കുന്ന ഒരു അടയാളപ്പലക വച്ചിരിക്കേണ്ടതാണ്.

4. പഞ്ചായത്തിൽനിന്നും അനുവാദം ലഭിച്ചശേഷമല്ലാതെ തൊഴിൽസ്ഥലം മാറ്റാൻ പാടില്ലാത്തതും തൊഴിൽ നിർത്തുന്ന പക്ഷം വിവരം മുൻകൂട്ടി പഞ്ചായത്തിൽ അറിയിക്കേണ്ടതുമാണ്.

5. തൊഴിൽ സ്ഥലവും പരിസരങ്ങളും വൃത്തിയായും സാംക്രമികരോഗാണുക്കൾ ഉണ്ടാവാത്ത വിധത്തിലും പൊതുജനോപദ്രവമാകാത്ത വിധത്തിലും വ്യാപാരത്തിന് വെച്ചിട്ടുള്ള ഭക്ഷണപദാർത്ഥങ്ങൾ ഈച്ച. അണുക്കള്, പൊടി മുതലായവയുടെ ശല്യം ഉണ്ടാകാത്ത വിധത്തിലും സൂക്ഷിക്കേണ്ടതാണ്.

6. ഓരോ പ്രവർത്തി ദിവസത്തിന്റേയും ഒടുവിൽ സ്ഥലം വൃത്തിയാക്കേണ്ടതാണ്.

7. ആ സ്ഥലത്തിന്റേയോ പരിസരത്തിന്റേയോ, ഏതെങ്കിലും ഭാഗത്ത് വീഴുകയോ നിക്ഷേപിക്കപ്പെടുകയോ ചെയ്യുന്ന ചപ്പുചവറോ, മൃഗങ്ങളുടെ അവശിഷ്ടങ്ങളോ മറ്റ് പദാർത്ഥമോ ശേഖരിച്ച്, സെക്രട്ടറിക്ക് തൃപ്തികരമായ രീതിയിൽ നീക്കം ചെയ്യേണ്ടതാണ്.

8. ലൈസൻസി ഏതൊരു കെട്ടിടത്തിന്റേയും ചുമരുകളുടെ അകവശത്തിന്റെ ഏതൊരു ഭാഗവും മേൽ പറഞ്ഞ പരിസരത്തിലുള്ള തറയും നടപ്പാതയും അവിടെ തെറിച്ചുവീഴാനിടയുള്ള ഏതെങ്കിലും ദ്രാവകമോ, മാലിന്യമോ, ചപ്പുചവറോ, അസഹ്യവും ഉപദ്രകരവുമായ ഏതെങ്കിലും പദാർത്ഥമോ അവിടെ ലയിക്കുന്നത് തടയത്തക്കവിധം എപ്പോഴും നന്നായി കേട്ടാട് തീർത്ത് നിലനിർത്തേണ്ടതാണ്.

9. ലൈസൻസി മേൽപറഞ്ഞ സ്ഥലത്തോ, പരിസരത്തോ അതോടു ചേർന്നോ ഉള്ള ഏതൊരു ഓവുചാലും, അഴുക്കുജലം കളയുന്നതിനുള്ള ഉപകരണവും എപ്പോഴും നന്നായി കേടുപാട് തീർത്ത് വയ്ക്കേണ്ടതാണ്.

10. ജിയോളജി പെർമിറ്റ്/ലീസ് ലഭിച്ചതിന് ശേഷം ഇസി, പി.സി.ബി, ഫയറ്, പെട്രോളിയം ആന്റ് എക്സ്പ്ലോസീവ് സേഫ്റ്റി ഓറ്ഗനൈസേഷന് തുടങ്ങിയ എല്ലാ നിരാക്ഷേപ സാക്ഷ്യ പത്രങ്ങളിലും അനുമതികളിലും പറഞ്ഞിരിക്കുന്ന എല്ലാ നിബന്ധനകളും കർശനമായും പാലിച്ചുകൊണ്ടായിരിക്കണം ക്വാറി പ്രവര്ത്തിപ്പിക്കേണ്ടത്

11. ഏതെങ്കിലും തരത്തിലുള്ള ത്വക്ക് രോഗമോ കുഷ്ഠരോഗമോ വ്രണമോ പകർച്ചാ വ്യാധികളോ ഉള്ള യാതൊരാളും കച്ചവടം നടത്തുന്നതിന് ഉപയോഗിക്കുന്ന സ്ഥലത്തും പരിസരത്തും പ്രവർത്തിക്കാൻ പാടില്ലാത്തതാകുന്നു.

12. 2016 ലെ പ്ലാസ്റ്റിക് വേസ്റ്റ് മാനേജ്മെന്റ് ചട്ടമനുസരിച്ച് പ്ലാസ്റ്റിക് ക്യാരി ബാഗുകൾ നിർമ്മിക്കുകയോ സംഭരിച്ച് വെക്കുകയോ വിതരണം ചെയ്യുകയോ വിൽപ്പന നടത്തുകയോ ചെയ്യുന്ന സ്ഥാപനങ്ങളിൽ നിന്ന് പ്രതിമാസം ചുരുങ്ങിയത് 4000 രൂപ നിരക്കിൽ ഒരു വർഷത്തേക്ക് ഏറ്റവും കുറഞ്ഞത് 48000 രൂപ വേസ്റ്റ് മാനേജ്മെന്റ് ചാർജ്ജ് ആയി ഈടാക്കുന്നതാണ്. (സർക്കുലർ നം.576/ഡി.ഡി1/2016/തസ്വഭവ തിയതി. 24/09/2017).

13. സ്ഥാപനത്തിന്റേ ബോർഡിൽ സ്ഥലനാമം മലയാളത്തിലും ഇംഗ്ലീഷിലും രേഖപ്പെടുത്തേണ്ടതാണ്.

14. 20 സീറ്റിൽ കൂടുതലുള്ള എല്ലാ ഹോട്ടലുകൾക്കും റെസ്റ്റോറന്റുകൾക്കും TOILET സൌകര്യം ഏർപ്പെടുത്തേണ്ടതാണ്.

15. നിരോധിത ഉൽപന്നങ്ങളായ പാൻമസാല, ഗുഡ്ഖ തുടങ്ങിയവ സംഭരിച്ചുവയ്ക്കുവാനോ വിൽക്കുവാനോ പാടില്ല.

സെക്രട്ടറി
ഊരകം ഗ്രാമ പഞ്ചായത്ത്

Oorakam Gram Panchayath
Secretary
P.O.Oorakam Melmuri
Malappuram Dt. Pin:676

NB:- ലൈസൻസ് കാലാവധി അവസാനിക്കുന്നതിന് 30 ദിവസം മുമ്പ് ലൈസൻസ് പുതുക്കുന്നതിന് അപേക്ഷ സമർപ്പിക്കേണ്ടതാണ്.

ANNEXURE 5

AFFIDAVIT FOR EC CONDITIONS

भारतीय गैर न्यायिक

भारत INDIA

रु. 500 FIVE HUNDRED RUPEES

पाँच सौ रुपये Rs. 500

सत्यमेव जयते

INDIA NON JUDICIAL

കേരളം केरल KERALA

N 622714

AFFIDAVIT

I, Mr. Jibin Jacob, Managing partner & Authorized Signatory of M/s Popular Sand and Metals., do hereby affirm and confirm as follows:-

Ref: EC No. 32/2017 (File No: 874/SEIAA/EC1/3105/2015) -Dated: 02/05/2017

1. That, I propose to develop a quarry project at Survey No: 42/2 pt, 42/3 pt & 43/4 in Oorakam Village, Thirurangadi Taluk, Malappuram District, Kerala. for an area of **3.8675 Ha.**

2. That, all the conditions stipulated in the Environment Clearance would be scrupulously followed.

Verification:

Verified that my above statements are true to the best of my knowledge and belief and no material has been concealed therein.

Mr. LALGI.P.THOMAS B.A., LL.B.
ADVOCATE-K/689/87
NOTARY Reg. No. 14/2001/EKM
High Court of Kerala
Lawyer's Chamber
1st Floor, Door No: 129
Kochi-31, Mob: 9447302591, 9495775 9

Deponent : JIBIN JACOB

Place: Ernakulam
Date: 01/07/2024

Solemnly affirmed and signed before me by the deponent on this 01 day of July 2024 at my office at Ernakulam

NOTARY SPECIAL ADHESIVE Mr. LALGI.P. THOMAS ADVOCATE & NOTARY KOCHI CORPORATION Reg. No. 14/2001/EKM EXP.DT : 13/03/2026 GOVT. OF KERALA

DISTRICT STAMP DEPOT 01 JUL 2024 ERNAKULAM

Value of Rs 500 Date 11/7/2024
Sold to
SHAMEER C.A.
HIGH COURT VENDOR
ERNAKULAM

Jibin Jacob
Managing partner
Popular Sand & metals
Oorakam.

ANNEXURE 6

CORPORATE SOCIAL RESPONSIBILITY

POPULAR
SAND & METALS
MANUFACTURES OF ROCK PRODUCTS

Poolapees, Oorakam (P.O)
Melmuri, Malappuram, Kerala - 676 519
popularsands123@gmail.com

0483 294 3682
7736 013 682
8590 831 139

10/10/2024

ഉദ്യോഗം പരിശീലനത്തിനുള്ള അപേക്ഷ -

മലപ്പുറത്തെയോ ആലിക്കൽ ബിൽഡിങ്ങ് പണിക്കുള്ള അനുവാദത്തിനായി 1 1/2 ആണിന് 1 M.Sand ഉം - 1 1/2 ആണിന് വെള്ളവും (M.Sand - 6000 രൂപ, വൈറ്റ് - 4500) അതെ. 10500 രൂപ. നിലവിലുള്ള മെറ്റീരിയൽസ് നൽകിയിരിക്കുന്നു.

POPULAR SAND & METALS ★ MELMURI ★ ORAKAM P.O PIN: 675 519

Jomon Joseph

Oorakam Palliative Care Association

Reg. MPM/ CA/ 25/ 2017

Oorakam, Melmuri - 676 519, Malappuram Dt, Kerala

President
ALI HASSAN T.P.
Thacha Paramban House,
Oorakam Kizhumuri
Cell: 9744 411 505

General Secretary
P.T. MOIDEEN KUTTY MASTER
Pandara Thodi House,
Oorakam Melmuri
Cell: 9946 303 582

Treasurer
P. ABDUL LATHEEF
Paleri House,Venkulam
Oorakam Kizhumuri
Cell: 9946 353 434

ബഹുമാനപ്പെട്ട
പോപ്പുലർ ഫ്രണ്ട്
അവർകൾക്ക്

സർ,

ഊരകം പൂങ്ങോട്ടിൽ "പാലിയേറ്റീവിന്റെ" ഓഫീസ് ബിൽഡിംഗ് പണി നടന്നു വരികയാണ്. സുമനസ്സുകളുടെ സഹായത്താലാണ് പ്രവൃത്തികൾ നടന്നു വരുന്നത്.

ആയതിനാൽ ഈ നിർമ്മാണത്തിന് നാട്ടുകാരുടെ ഭാഗത്ത് നിന്ന് 1½ യൂണിറ്റ് സിമന്റും 1½ യൂണിറ്റ് മെറ്റലും അനുവദിച്ച് തന്ന് സഹായിക്കണം എന്ന് അപേക്ഷിക്കുന്നു.

ഊരകം
05-10-2024

പ്രസിഡണ്ട് / സെക്രട്ടറി
ഊരകം പാലിയേറ്റീവ്
കെയർ അസോസിയേഷൻ
P.O ഊരകം മേൽമുറി - 676 519

പാലിയേറ്റീവ് കെയർ അസോസിയേഷൻ ഊരകം P.O ഊരകം മേൽമുറി-676 519 Date 05/10/24

AASHRITHA CHARITABLE TRUST

Reg. No. 189/17 (12AA/80G/10A/10B/NEETHI AYOG / FCRA)
Vellariyil Garden Building ,1st Floor, 59/2270, Palayam
Kozhikode - 673 002, Ph: 0495 2306230, Mob: +91 9496151579

Receipt No. 2149 Date 8.3.25

Received with thanks from Popular Steel & Metals
Three Thousand five hundred only

www.aashrithatrust.org
aashrithacharitabletrust
aashrithahealth@gmail.com
G-PAY - 790 770 8356

A/c. No. 37158060614
IFSC : SBIN0070188
Kannur Road, Calicut

₹ 3500/

സംഭാവനകൾക്ക് ആദായനികുതി
80 – ജി പ്രകാരമുള്ള നികുതി
ഇളവ് ലഭിക്കും

SECRETARY

SANTHWANAM CHARITABLE TRUST

FAROOK COLLEGE ROAD, NEAR A ONE PRINTING PRESS, J.S SECULARY BUILDING
RAMANATTUKARA, KOZHIKODE 673633
Reg No: 152/2021

Email: santhwanamcharitable21@gmail.com
Ph: 8848 541 513, 9061 387 595
9048 682 933

നമ്പർ 021 തിയ്യതി 6/3/25

ശ്രീ/ശ്രീമതി Popular

പക്കൽ നിന്നും Two thousand five hundred only. രൂപ

സംഭാവനയായി നന്ദിപൂർവ്വം കിട്ടിബോധിച്ചു

₹ 2500

ACCOUNT DETAILS	
Bank	: State Bank of India
A/c. No.	: 42578998927
IFSC Code	: SBIN0070859
Branch	: Ramanattukara
PAN: ABCTS4097G	

ചെയർമാൻ/കൺവീനർ

അമ്മേശരണം ദേവീശരണം

വേങ്ങര ശ്രീ അമ്മാഞ്ചേരിക്കാവ് താലപ്പൊലി

മഹോത്സവം

2025 ഫെബ്രുവരി 14 വെള്ളിയാഴ്ച (1200 കുംഭം 2)

നാട്ടുകല്ല് ജനകീയ കാളകമ്മിറ്റിയുടെ

കാളവരവ്

തിയ്യതി: 22/1/25

10

ശ്രീ/ശ്രീമതി Popular Metals പക്കൽ

നിന്നും 3000/- രൂപ സംഭാവനയായി നന്ദിപൂർവ്വം കിട്ടിബോധിച്ചു.

₹ 3000/-

Con: 9539503754, 8606065516

കൺവീനർ കാളകമ്മിറ്റി

YUVA ARTS & SPORTS CLUB NATTUKALLU

Reg: MPM/CA/92/2024

Con: 9567 610 452

8606 065 516

SANTHWANAM CHARITABLE TRUST

FAROOK COLLEGE ROAD, NEAR A ONE PRINTING PRESS, J.S SECULARY BUILDING

RAMANATTUKARA, KOZHIKODE 673633

Reg No: 152/2021

Email: santhwanamcharitable21@gmail.com

Ph: 8848 541 513, 9061 387 595

9048 682 933

നമ്പർ 209

തിയ്യതി 13/2/25

ശ്രീ/ശ്രീമതി Popular

പക്കൽ നിന്നും One Thousand Three Hundred. രൂപ

സംഭാവനയായി നന്ദിപൂർവ്വം കിട്ടിബോധിച്ചു

₹ 1300

ACCOUNT DETAILS

Bank : State Bank of India

A/c. No. : 42578998927

IFSC Code : SBIN0070859

Branch : Ramanattukara

PAN: ABCTS4097G

ചെയർമാൻ/കൺവീനർ

BUKHARI SADATH ACADEMY

(Run By: BSA Charitable Trust, Reg. No: 14/2024VKD)
Garden Valley, Ravatteery, P.O. Olavattoor, Pulikkal, Malappuram, Kerala, India, Pin:673638
+91 97450 85105, +91 99460 30813, +91 99959 65153

No: 374

Date: 04/03/25

Received with thanks from Janab. Popular

the sum of Rupees

₹ 3500/-

BUKHARI SADATH ACADEMY
BSA Charitable Trust
Reg. No: 14/2024VKD
P.O. Olavattoor, Pulikkal
Pin: 673638
GARDEN VALLEY, RAVATTEERY

Secretary

SANTHWANAM CHARITABLE TRUST

FAROOK COLLEGE ROAD, NEAR A ONE PRINTING PRESS, J.S SECULARY BUILDING
RAMANATTUKARA, KOZHIKODE 673633
Reg No: 152/2021

Email: santhwanamcharitable21@gmail.com
Ph: 8848 541 513, 9061 387 595
9048 682 933

നമ്പർ 308

തിയ്യതി 8/2/25

ശ്രീ/ശ്രീമതി Popular

പക്കൽ നിന്നും.....രൂപ

സംഭാവനയായി നന്ദിപൂർവ്വം കിട്ടുബോധിച്ചു

₹ 500/-

ACCOUNT DETAILS	
Bank	: State Bank of India
A/c. No.	: 42578998927
IFSC Code	: SBIN0070859
Branch	: Ramanattukara
PAN: ABCTS4097G	

ചെയർമാൻ/കൺവീനർ

prabha kondotty 9249208743

DSM
ചികിത്സാ ധനസഹായ പദ്ധതി

നമ്പർ : 221 തിയ്യതി : 2/10/24

ശ്രീ/ശ്രീമതി ചെറുപ്പുലൻ ക്ലിൻ

പക്കൽ നിന്നും മൂവായിരത്തി അഞ്ഞൂറ് രൂപ

സംഭാവനയായി നന്ദിപൂർവ്വം കിട്ടിബോധിച്ചു

₹ 3500

D.S.M. KONDOTTY TALUK COMMITTEE
Reg.No: PTM/TC/140/2021

പ്രസിഡന്റ് / സെക്രട്ടറി

കർക്കടി - കൊണ്ടോട്ടി ഫോൺ: 271 0001

ശ്രീ മുത്തപ്പൻ ഭഗവതി സുബ്രഹ്മണ്യക്ഷേത്രം

ദേവസന്നിധി, മൂച്ചിക്കുണ്ട് എൻ.എച്ച്. കോളനി, നെടിയിരുപ്പ്, പി.ഒ.അരിമ്പ്ര

താലപ്പൊലി മഹോത്സവം

2025 ഫെബ്രുവരി 6, 7 (1200 മകരം 24, 25) വ്യാഴം, വെള്ളി ദിവസങ്ങളിൽ

നമ്പർ : 1310 തിയ്യതി : 3/2/25

ശ്രീ/ശ്രീമതി ചെറുപ്പുലൻ ക്ലിൻ

പക്കൽ നിന്ന് ..... രൂപ

സംഭാവനയായി നന്ദിപൂർവ്വം കിട്ടിബോധിച്ചു.

₹ 2000/-

സെക്രട്ടറി, ക്ഷേത്ര കമ്മിറ്റി

പരിസ്ഥിതി – മനുഷ്യാവകാശ സംരക്ഷണ സമിതി
സംസ്ഥാന കമ്മറ്റി തൃശൂർ – കേരള

No. 315

RECEIPT

Date : 22/02/25

പേര്: Popular Sand & Metals

മേൽവിലാസം: .....

.....നന്ദിപൂർവ്വം കിട്ടിബോധിച്ചു.

₹ 1000/-

ചെയർമാൻ | കൺവീനർ | ട്രഷറർ

Love Palace
Charitable Foundation

Reg. No: U88900KL2023NPL083646 (Under Govt. of India)
Poonthanam Building, M M Ali Road, Palayam, Nr. Kalyan Kendra, Calicut - 673 002
VIJI V (Chairperson) : Gpay No : 9895 275685, 9061 77 99 41
Office : 0495 2920476, Oldage Home : 0495 2993363,
E : lovepalacefoundation@gmail.com, W : lovepalacecharitablefoundation.in

№ 012003

തിയ്യതി : 18/3/25

ശ്രീ/ശ്രീമതി Popular Sand & metals

പക്കൽ നിന്നും Two Thousand Five Hundred രൂപ കിട്ടി ബോധിച്ചു.

വീട്ടിൽ ഒറ്റപെട്ടുപോയവരെയും മനസികരോഗികളെയും വയോധികരെയും തെരുവിലകപ്പെട്ടുപോയവരെയും ശുശ്രൂക്ഷിച്ച് സംരക്ഷിക്കുന്നു.

Chairperson

₹ 2500/-

HDFC BANK
LOVEPALACE CHARITABLE FOUNDATION
A/C NO : 50200087709374, Branch : PALAYAM, IFSC : HDFC0006159

AASHRITHA CHARITABLE TRUST

Reg. No. 189/17 (12AA/80G/10A/10B/NEETHI AYOG / FCRA)
Vellariyil Garden Building ,1st Floor, 59/2270, Palayam
Kozhikode - 673 002, Ph: 0495 2306230, Mob: +91 9496151579

Receipt No. 2149 Date 8.3.25

Received with thanks from Popular Steel & Metals
Three Thousand Five Hundred

www.aashrithatrust.org
aashrithacharitabletrust
aashrithahealth@gmail.com
G-PAY - 790 770 8356

A/c. No. 37158060614
IFSC : SBIN0070188
Kannur Road, Calicut

₹ 3500/

സംഭാവനകൾക്ക് ആദായനികുതി
80 – ജി പ്രകാരമുള്ള നികുതി
ഇളവ് ലഭിക്കും

SECRETARY

DYFI അരിമ്പ്ര സ്കൂൾപടി യൂണിറ്റും പ്രവാസി സഖാക്കളും
സംയുക്തമായി നടത്തുന്ന

6-ാമത് സമൂഹ നോമ്പുതുറ

2025 മാർച്ച് 23ന് (നോമ്പ് 22ന്) ഞായറാഴ്ച
ഹാജിയാർപടിയിൽ

നമ്പർ : 4 തിയ്യതി : 20/3/25

ശ്രീ./ശ്രീമതി: Popular Steel & Metals പക്കൽ

നിന്ന് ..... രൂപ
സംഭാവനയായി നന്ദിപൂർവ്വം കൈപ്പറ്റി.

₹ 2000/-

സെക്രട്ടറി

കീർത്തി - കൊണ്ടോട്ടി ഫോൺ: 2710001

ദലിത് സമുദായ മുന്നണി സ്റ്റേറ്റ് കമ്മിറ്റി

Reg.No:PMT/TC/140/2021,H.O Rajgriha,Room No : 38,Cellar Floor,Revenue Tower,Thiruvalla-1
email: dalitsamudhayamunnani@gmail.com Mob:9947217034,9446033342,9446870289,9605089243

FESTIVAL OF FRATERNITY

ഏപ്രിൽ 14

ഡോ.ബി.ആർ.അംബേദ്കർ 134-ാം ജന്മദിനാഘോഷം

DSM

എടപ്പാൾ (മലപ്പുറം)-മലബാർ ഉണ്ണികൃഷ്ണൻ നഗർ

No: 0180

— സംഭാവന രശീതി

തിയ്യതി: 10/3/025

Mr./Mrs. Popular Cruser - പക്കൽ നിന്നും

Cheque / Cash / Online Two Thousand Only -

രൂപ നന്ദിപൂർവ്വം കൈപ്പറ്റിയിരിക്കുന്നു.

₹ 2000/

സണ്ണി.എം.കപിക്കാട്
ചെയർമാൻ

അഡ്വ.പി.എ പ്രസാദ്
ജനറൽ സെക്രട്ടറി

കെ. വൽസകുമാരി
ട്രഷറർ

AASHRITHA CHARITABLE TRUST

Reg. No. 189/17 (12AA/80G/10A/10B/ NITI AAYOG / FCRA)
Vellariyil Garden Building ,1st Floor, 59/2270, Palayam
Kozhikode - 673 002, Ph: 0495 2306230, Mob: +91 9496151579

Receipt No. 434

Date 22/09/2028

Received with thanks from Pooja Sunil & Mrs.

Reg.No: 189/2017 Aashritha Flat Puvvattumpoyil P.O Kunnamangalam KOZHIKODE

www.aashrithatrust.org
aashrithacharitabletrust
aashrithahealth@gmail.com
G-PAY - 790 770 8356

A/c. No. 37158060614
IFSC : SBIN0070188
Kannur Road, Calicut

₹ 3500/

സംഭാവനകൾക്ക് ആദായനികുതി 80-ജി പ്രകാരമുള്ള നികുതി ഇളവ് ലഭിക്കും

SECRETARY

Love Palace
Charitable Foundation

Reg. No: U88900KL2023NPL083646 (Under Govt. of India)
Poonthanam Building, M M Ali Road, Palayam, Nr. Kalyan Kendra, Calicut - 673 002
VIJI V (Chairperson) : Gpay No : 9895 275685, 9061 77 99 41
Office : 0495 2920476, Oldage Home : 0495 2993363,
E : lovepalacefoundation@gmail.com, W : lovepalacecharitablefoundation.in

№ 013064

തിയ്യതി : 15/1/2025

ശ്രീ/ശ്രീമതി Popular Group

പക്കൽ നിന്നും Fund Thank ..... രൂപ കിട്ടി ബോധിച്ചു.

വീടിൽ ഒറ്റപെട്ടുപോയവരെയും മനസികരോഗികളെയും വയോധികരെയും തെരുവിലകപ്പെട്ടുപോയവരെയും ശുശ്രൂക്ഷിച്ച് സംരക്ഷിക്കുന്നു.

Chairperson

₹ 4500/

HDFC BANK
LOVEPALACE CHARITABLE FOUNDATION
A/C NO : 50200087709374, Branch : PALAYAM, IFSC : HDFC0006159

ജീവകാരുണ്യ പ്രവർത്തനാർത്ഥം
KARATHODE CRICKET KOOTTAYMA സംഘടിപ്പിക്കുന്ന
Cricket League Season 2
Inkel Stadium, Karathode, Malappuram
14 15 16 December
+91 9605417551 / 8129764592

KCL KARATHODE CRICKET LEAGUE

No. 86

RECEIPT

Date: 22/11/24

Received with thanks from M/s. Popular Group metals.

the sum of rupees Ten thousand only

Being the donation / Sponsorship

Sign

₹ 10000/-

സ്വാമിയേ ശരണമയ്യപ്പാ..

മാത്തിൻകുളങ്ങര
ശ്രീ അയ്യപ്പസ്വാമിക്ഷേത്രം

ഊരകം പുത്തൻ പീടിക, അമ്പലപ്പടി

Ph : 8086 906510

സംഭാവന

നമ്പർ. 1734

തിയ്യതി: 7/01/25

ശ്രീ/ശ്രീമതി Popular Crasher

പക്കൽ നിന്നും 2000/- രൂപ

സംഭാവനയായി നന്ദിപൂർവ്വം കിട്ടിബോധിച്ചു.

സെക്രട്ടറി/പ്രസിഡന്റ്

₹ 2000/-

aksharavga #9400756115

സമസ്ത കോ-ഓർഡിനേഷൻ ഊരകം പുല്ലഞ്ചാൽ

മജ്‌ലിസുന്നൂർ വാർഷികവും
മത പ്രഭാഷണവും

2025 ജനുവരി 3, 4

ഊരകം പുല്ലഞ്ചാൽ (രായീൻ ഹാജി നഗർ)

സംഭാവന കൂപ്പൺ

നമ്പർ. 023

തിയ്യതി: 27/12/24

ജ. പോപ്പുലർ - ക്രഷർ. പക്കൽ

നിന്ന് സംഭാവന അഞ്ഞൂറുറുപ്പിക. രൂപ നന്ദിപൂർവ്വം കിട്ടിബോധിച്ചു.

₹ 2000/

കൺവീനർ

തൊടുകുത്ത്പറമ്പ് വെടിയത്ത് ശ്രീ ഭഗവതി മുത്തപ്പൻ ക്ഷേത്രത്തിൽ

പ്രതിഷ്ഠാദിനവും ആലപ്പൊലി മഹോത്സവവും

നമ്പർ 61 തിയ്യതി 01/02/25

ശ്രീ./ശ്രീമതി Popular Sand

പക്കൽനിന്നും ..... രൂപ

സംഭാവനയായി കിട്ടിബോധിച്ചു.

₹ 1000/

സെക്രട്ടറി

V-DRIVE auto garage Panakkad

+91 9207122423
+91 6282858881

United Arts & Sports Club

കാരാത്തോട്

ആറാമത് ഈവനിംഗ് സെവൻസ്

ഫുട്ബോൾ ടൂർണ്ണമെന്റ്

No. 2 Date 4/1/2025

ശ്രീ/ ശ്രീമതി POPULAR SANDS METALS

..... പക്കൽനിന്നും

സംഭാവനയായി five thousand only രൂപ

നന്ദിപൂർവ്വം കിട്ടിബോധിച്ചു.

₹ 5000/-

സെക്രട്ടറി

BLUE MOON CHARITABLE TRUST

Regd. No. 360/2008
Income Tax Regn. No. U/s 12.A.A (1)(b)(I) CIT/CLT/12A/828/2009-10,
Renewal Unique Reg. No. AABTB4322PE20215, UP TO AY 2026-27, 80G (5) & (VI) 31/80G®3/CIT/CLT 2009-2010
Renewal Unique Reg. No. AABTB4322PF20213, UP TO AY 2026-27
NGO Darpan Unique I D No. KL/2009/0012972, GST No. : 32AABTB4322P1ZU, FCRA Regn. No. : 052900387
United National Department of Economic & Social Affairs Regn. No : 371462,
Head Off. Ollur Traders Centre, Ollur, Thrissur, Pin : 680 306. Email : bluemoontrust1@gmail.com,
Mob: +91 9895293963, 9446998540, 41. Website : www.bmct.online
ISO 9001 : 2015 CERTIFIED ORGANISATION
Approved by N.G.O. India, Non Profitable Organisation
Bank A/c Details: A/c No: 30632462147, IFSC:SBIN0005108, State Bank of India.

RECEIPT

S.No. 012124 Date 19/11/24

Received with thanks from Shri./Smt./Ms/ Popular Sand & Molals

Address mini Ooty.

the sum of Rupees (in words) Five hundred only

by Cash/Cheque/Draft No.

₹ 500/-

Donor name : Jomon.

Mobile number :

Signature :

For BLUE MOON CHARITABLE TRUST

Authorised Signatory

സ്വാമിയേ ശരണമയ്യപ്പാ..!

ചിറയിൽ കോവിലകത്ത് ശ്രീ അയ്യപ്പക്ഷേത്രം

നെടിയിരുപ്പ്, പി.ഒ. ചിറയിൽ. ഫോൺ : 9744403875
കേരള ക്ഷേത്ര സംരക്ഷണ സമിതി രജി. നമ്പർ: 908

അഖണ്ഡനാമയജ്ഞവും, അഖണ്ഡ പുഷ്പാഞ്ജലിയും

2024 ഡിസംബർ 01 (1200 വൃശ്ചികം 16) ഞായറാഴ്ച

തിയ്യതി 30/11/24

നമ്പർ 820

ചിറയിൽ കോവിലകത്ത് അയ്യപ്പക്ഷേത്രം ശ്രീ/ശ്രീമതി ചെപ്പ പുലർ ഗ്രൂപ്പ്

മലപ്പുറം നിന്നും സംഭാവനയായി ..... രൂപ നന്ദിപൂർവ്വം കിട്ടിബോധിച്ചു.

₹ 3000-

കൺവീനർ/ചെയർമാൻ
അഖണ്ഡനാമയജ്ഞ കമ്മിറ്റി

നമ്മൾ ചെയ്യുന്ന സൽക്കർമ്മങ്ങൾ നമ്മുടെ വീടിന്റെ ഐശ്വര്യം.

കോതേരിപറമ്പിൽ
ശ്രീ മുത്തപ്പൻ ഭദ്രകാളി ക്ഷേത്രം
കളത്തുംപടിക്കൽ – അരിമ്പ്ര

ॐ **താലപ്പൊലി മഹോത്സവം** ॐ

No. 57

Date 1/1/2025

ശ്രീ/ശ്രീമതി popular

പക്കൽനിന്ന് രണ്ടായിരം രൂപ സംഭാവനയായി

നന്ദിപൂർവ്വം കിട്ടിബോധിച്ചു.

₹ 2000/-

ക്ഷേത്രം കമ്മിറ്റി

CWSA 10th MALAPPURAM DISTRICT CONFERENCE
ORGANIZING COMMITTEE
Regd. No. S-185/98 Kottakkal, Changuvetty, Khurbani-676501

No: 331

Date: 9/1/2025

Received with thanks from Popular Sanel

the sum of Rupees One thousand only

being donation

₹ 1000/-

Finance Convener

Organizing Committee Treasurer

അമ്മേ ശരണം, ॐ ദേവി ശരണം

ചേറൂർ ടൗൺ പൗരസമിതി കാളകമ്മിറ്റി

വേങ്ങര ശ്രീ അമ്മാഞ്ചേരിക്കാവ് ഭഗവതി ക്ഷേത്രം

2025 ഫെബ്രുവരി 14 [1200 കുംഭം 2] വെള്ളിയാഴ്ച

താലപ്പൊലി മഹോത്സവ

കാളവരവ്

Printed at: RACHANA VOA 98465 78045

നമ്പർ 452 തിയ്യതി 28/2/25

ശ്രീ/ശ്രീമതി. Popular Sand & Metals

പക്കൽ നിന്ന് സംഭാവനയായി One Thousand

.....രൂപ നന്ദിപൂർവ്വം കിട്ടിബോധിച്ചു.

₹ 1000/-

-ചേറൂർ ടൗൺ
പൗരസമിതി കാളകമ്മിറ്റി

വേങ്ങര ശ്രീ അമ്മാഞ്ചേരിക്കാവ് ഭഗവതി ക്ഷേത്രം

താലപ്പൊലി മഹോത്സവം

ഊരകം കീഴ്മുറി ജനകീയ കാള കമ്മിറ്റി, കരിമ്പിലി

നമ്പർ: 1677 തിയ്യതി: 03/02/25

ശ്രീ/ശ്രീമതി Popular Sand And Metals

₹ 2500/-

കൺവീനർ, കാള കമ്മിറ്റി

GRAND EARTH MOVERS
Cine Bazar, Vengara
Ansar : 9961 295 990
Shaju : 9961 599 544
ഇമ്പിരിയൽ മലപ്പുറം

VISHVA HINDU PARISHAD (KERALA)

KALOOR, KOCHI - 682 017, PH : 2539322, 2539315

No. 878

Date : 17/03/25

Received with thanks from Popular Sand Anal Metals

the sum of Rupees One thousand only

by Cash / DD / Cheque

towards

₹. 1,000/-

*Subject to realisation

Cashier

കുന്നക്കാട് ശ്രീ ചാത്തമുത്തൻ

വേല മഹോത്സവം

കുഴിയംപറമ്പ്

നമ്പർ 311

തിയ്യതി: 24/3/25

ശ്രീ/ശ്രീമതി: Popular Sand Metals. പക്കൽ നിന്നും

സംഭാവനയായി

One Thousand രൂപ കിട്ടി ബോധിച്ചു

₹ 1000/-

-കമ്മിറ്റി

കേരള സംസ്ഥാന വ്യാപാരി വ്യവസായി സമിതി

Reg. TCR No. 72/89

പാർലമെന്റ് മാർച്ച് 2025 ഫെബ്രു. 13

നമ്പർ: № 034126

സംഭാവന രസീത്

തീയതി 9/1/25

വ്യാപാര സംരക്ഷണ സന്ദേശ സംസ്ഥാന ജാഥ

കാസർഗോഡ് - തിരുവനന്തപുരം 2025 ജനു. 13 - 25

ശ്രീ /ശ്രീമതി Popular Sal Equipment

പക്കൽ നിന്നും

Four Hundred one Thousand

രൂപ

നന്ദിപൂർവ്വം കൈപ്പറ്റിയിരിക്കുന്നു.

₹ 1000/-

സെക്രട്ടറി

Mob : 9048642321

അംബേദ്കർ ധർമ്മപരിപാലന സംഘം (ADPS)

സംസ്ഥാന കമ്മിറ്റി

അംബേദ്കർ ഭവൻ, നെടുങ്കയം, പിലാക്കൽ, കരുളായി പി. ഒ, മലപ്പുറം ജില്ല, കേരളം

Reg. No. KKD/CA/38/2019

നമ്പർ 766

തീയതി 7/3/25

ശ്രീ./ശ്രീമതി Popular Sales Metals

എന്നവരുടെ പക്കൽനിന്ന് Orakan Mitmmal

രൂപ

സംഭാവനയായി നന്ദിപൂർവ്വം കിട്ടിബോധിച്ചു

₹ 500/-

ജനറൽ സെക്രട്ടറി

അമ്മേ ശരണം, ദേവീ ശരണം

വേങ്ങര ശ്രീ അമ്മാഞ്ചേരിക്കാവ് ഭഗവതി ക്ഷേത്രം

താലപ്പൊലി മഹോത്സവം

ഊരകം മേൽമുറി പഞ്ചായത്ത്പടി ജനകീയ കാള കമ്മിറ്റി

നമ്പർ. 797 തിയ്യതി: 4/1/2025

ശ്രീ/ശ്രീമതി Popular sand and metals

പക്കൽ നിന്ന് ..... രൂപ

സംഭാവനയായി നന്ദിപൂർവ്വം കിട്ടിബോധിച്ചു.

₹ 4000/-

സെക്രട്ടറി

വാഹന ഇൻഷ്വറൻസുകൾക്കും ലോണുകൾക്കും ബന്ധപ്പെടുക:

EASY WAY SOLUTIONS

INSURANCE & LOANS

VENGARA | KUNNUMPURAM | MALAPPURAM | PARAPPANAGADI

Origo_9847098898

ഏലക്കത്തൊടി ശ്രീ ഭഗവതി ക്ഷേത്രം

പോത്തുവെട്ടിപ്പാറ – കാരാതടം

താലപ്പൊലി മഹോത്സവം

2025 ജനുവരി 21
(1200 മകരം 8) ചൊവ്വ

നമ്പർ 10 തിയ്യതി :.....

ശ്രീ/ശ്രീമതി Popular Crusher

പക്കൽ നിന്ന് ..... രൂപ അന്നദാനത്തിലേക്ക്

സംഭാവനയായി നന്ദിപൂർവ്വം കിട്ടി ബോധിച്ചു.

₹ 1000/-

അന്നദാനം മഹാദാനം.

സർവ്വ ഐശ്വര്യങ്ങളും നൽക്കട്ടെ

SILENT GLOBAL FOUNDATION

Reg. No.380/IV/1310/333

2nd Floor, Kunju Moidu Building, Govt. Hospital Road, Chavakkad - 680506Thrissur, Kerala, India.
Ph: 0487 - 2503520, Email id: sgftcr@gmail.com, www.sgfind.org

DONATION RECEIPT

Date : 15/3/2025

Regd. No 03

Received with thanks from Mr./Mrs Popular Sand & metals.

Donation of Rupees Five thousand only

by Cash/Cheque/Draft No ..... Date .....

on account of .....

₹ 500

*Cheque subject to realisation

(Reg. No: 12AA of the Income Tax Act, 1961)

For Cashier, Signature

MALABAR COLLEGE

OF ADVANCED STUDIES, VENGARA

NAAC Accredited (First Cycle) with A+ Grade (3.27 CGPA)
(Aided by Govt. of Kerala & Affiliated to the University of Calicut)

STUDENT'S UNION WORKING FUND

No: 152

Date : 13/02/2025

Recived with thanks from janab Popular sand and metals.

the sum of Rupees

being donation

₹ 500/-

Chairman/Secretary

വേങ്ങര ശ്രീ അമ്മാഞ്ചേരിക്കാവ് ഭഗവതി ക്ഷേത്രം

താലപ്പൊലി മഹോത്സവം

ഊരകം കീഴ്മുറി ജനകീയ കാള കമ്മിറ്റി, കരിമ്പിലി

നമ്പർ: 1679

തിയ്യതി: 03/2/25

ശ്രീ/ശ്രീമതി Popular Sand

₹ 500/-

കൺവീനർ, കാള കമ്മിറ്റി

GRAND EARTH MOVERS

Cine Bazar, Vengara

Ansar : 9961 295 990
Shaju : 9961 599 544

ഇന്ത്യൻ മെഷീനറീസ്

പരിസ്ഥിതി പ്രകൃതി സംരക്ഷണ സമിതി

(Reg. No. TSR/TC/331/2014)

Mob. 9847612238, 8075550443

സംസ്ഥാന കമ്മിറ്റി

നമ്പർ : 25

സംഭാവന രശീതി

തിയ്യതി 02/02/2025

ശ്രീ. / ശ്രീമതി M/S Popular Granites

പക്കൽനിന്നും

നന്ദിപൂർവ്വം കിട്ടിബോധിച്ചു.

₹ 1000/-

പ്രസിഡണ്ട്

സെക്രട്ടറി

SANTHWANAM CHARITABLE TRUST

FAROOK COLLEGE ROAD, NEAR A ONE PRINTING PRESS, J.S SECULARY BUILDING
RAMANATTUKARA, KOZHIKODE 673633
Reg No: 152/2021

Email: santhwanamcharitable21@gmail.com
Ph: 8848 541 513, 9061 387 595
9048 682 933

നമ്പർ 020

തിയ്യതി 21/12

ശ്രീ/ശ്രീമതി Popular Granite

പക്കൽ നിന്നും Five hundred രൂപ

സംഭാവനയായി നന്ദിപൂർവ്വം കിട്ടുബോധിച്ചു

ACCOUNT DETAILS	
Bank	: State Bank of India
A/c. No.	: 42578998927
IFSC Code	: SBIN0070859
Branch	: Ramanattukara
PAN: ABCTS4097G	

₹ 500/-

ചെയർമാൻ / കൺവീനർ

നവോദയ ആർട്സ് & സ്പോർട്സ് ക്ലബ്ബ്

എൻ.എച്ച്. കോളനി, ചെരുപ്പടി, അരിമ്പ്ര

NYK affi.No. 2486/06

നമ്പർ 134

തിയ്യതി 07/12/24

ശ്രീ Popular Sand And metals

പക്കൽ നിന്നും സംഭാവനയായി ..... രൂപ
നന്ദിപൂർവ്വം കിട്ടിബോധിച്ചു.

₹ 1500/-

സെക്രട്ടറി

പ്രിന്റ്, കൊണ്ടോട്ടി - 9249208743

مجمع الفلاح الإسلامي - كاراكن - مالابرم - كيرلا - الهند

AL - FALAH ISLAMIC CENTRE

Reg No. 26/2004, P.O. KARAKUNNU, VIA. MANJERI - 676 123, MALAPPURAM, KERALA, INDIA
Mob: 9746265736, 9645150786, 9746682312

No. 29734

Date: 25/11/24 التاريخ

Received with thanks from..... استلمنا بجزيل الشكر من فضيلة الشيخ

.....മേചേരി സ്വദേശി അബൂബക്കറ്.....

the sum of Rupees.....അഞ്ഞൂറ് രൂപ..... مبلغ

being the Donation..... تبرعا

₹ 500/-

നാഥൻ ഈ സ്വദഖ: സ്വീകരിക്കട്ടെ.

President / Secretary / Receiver

EYE FOUNDATION CHARITABLE TRUST

Reg No. KKD299/IV/2023, Kadampuzha 676553, Kottakkal, Malappuram
Email: eyefoundaationcharitabletrust@gmail.com, Mob : 8129564708, 9539788809
Branch:- Kozhikode, C.V. Building - 676019, Wayanad, Tariyod - 673122

RECEIPT

No. 581

Date: 30/1/25

Received with thanks from ~~Mr.~~ M/s. Papulas Granite

.....

the sum of Rs. One Thousand Five Hundred Only

.....*Cash/Cheque No.*.....

towards.....

Amount ₹ 1500/-

Treasurer / Secretary / President

DAYA CHARITABLE TRUST VELLIPARAMBA

PAN No. AADTD6710H

Adm.office : KUTTIKKATTOOR, Kozhikode, Kerala 673008

Ph: 9946706761, 8137907210 Email:koyam999@gmail.com

DAYA CHARITABLE TRUST

No. 10567 15th Anniversary **RECEIPT** Date 11/12/24

Received Rs. 1000 (Rupees One thousand only)

being

Donation Popular Sand note 04

Cheque / DD No.

₹ 1000/-

Eligible for deduction U/S 80G of the income Tax Act 1961

12Ab REGN: AADTD6710HE20206

80 G REGN : AADTD6710HF20224

Reg. No : 232/09 P.O. KUTTIKKATTOOR Pin - 673008

Managing trustee

رجسٹرڈ نمبر۔۴۳۸

جلد نمبر 193

رسید نمبر 9147

مدرسہ فلاح المسلمین و یتیم خانہ پھولکاواڑی

Mb: 9973202978

پوسٹ۔ مرگھیا، ضلع کٹیہار (بہار) پن نمبر۔۸۵۴۱۰۴

Regd. No.-438

Run by: Alfalah Society, Phulkawari Marghia, Katihar - 854104

MADRASA FALAHUL MUSLEMEEN & YATEEM KHANA

AT-FULKAWARI PO.-MARGHIA, KATIHAR (BIHAR) 854104

Name Poplar Co. اسم گرامی معطی جناب

Address K. R مکمل پتہ

₹ 200/- A/C. بمد رقم لفظوں میں دو سو روپیہ

14/3/24 دستخط محصل مع تاریخ دستخط سکریٹری دستخط صدر

Printed by: Computer4u, New Market, Katihar Mb: 9661232096 Ph:245613

സംവരണ സംരക്ഷണ സമിതി
സാമൂഹ്യനീതി സംഗമം

2024 നവംബർ 3, തേക്കിൻകാട് മൈതാനം, തൃശൂർ

രസീത്

No. 13

Date: 30/10/24

ശ്രീ./ ശ്രീമതി. ചേപ്പുലത്ത് സാന്റ്

പക്കൽ നിന്നും One thousand only

രൂപ നന്ദിപൂർവ്വം കൈപ്പറ്റിയിരിക്കുന്നു

ചെയർമാൻ	ജന. കൺവീനർ	ട്രഷറാർ
സണ്ണി എം. കപിക്കാട്	റ്റി.ആർ. ഇന്ദ്രജിത്ത്	കെ. വത്സകുമാരി

JANARDHANAN. M. P CHIKITSA SAHAYA NIDHI
Your Help Will Be a Support to Poors

Please help the poor people who suffering with problems, without seeing their caste, religion and politics, God will help you

Register No: 578/IV

Google Pay : 9446633871

This Donation will help the people to retrieve from pain.... a small relief to their life
This is our motive.. will you help us.

Contact Details :
Mangadamparambath, Manalaya P.O, Anamangad, Pin-679357
Aliparambu (ward-19), Malappuram Dist.
Ph: 9446633871 (Secretary)

Name: Janardhanan. M.P
A/C. No.: 520291027976470
IFSC Code: UBIN0934593
MICR Code: 679026903
Pin: 679357

No. 233

Date 27/1/25

Name POPOLAT

₹ 4500/

Cash Received with Thanks....

Accountant

Chairman

AASHRITHA CHARITABLE TRUST

Reg. No. 189/17 (12AA/80G/10A/10B/NEETHI AYOG / FCRA)
Citra Market City, First Floor, 59/2715-B, Palayam
Kozhikode - 673 002, Ph: 0495 2306230, Mob: +91 9496151579

Receipt No. 7205

Date 10 12 24

Received with thanks from [illegible]

www.aashrithatrust.org
aashrithacharitabletrust
aashrithahealth@gmail.com
G-PAY - 790 770 8356

A/c. No. 37158060614
IFSC : SBIN0070188
Kannur Road, Calicut

₹ 2000

സംഭാവനകൾക്ക് ആദായനികുതി
80 – ജി പ്രകാരമുള്ള നികുതി
ഇളവ് ലഭിക്കും

SECRETARY

വോളി നൈറ്റ് 2025

ബ്രദേഴ്സ് അരിമ്പ്ര സംഘടിപ്പിക്കുന്ന വോളിബോൾ ടൂർണമെന്റ്
27 ഫെബ് 2025 വ്യാഴം 5.00 PM
അരിമ്പ്ര ഫ്ളഡ്‌ലൈറ്റ് സ്റ്റേഡിയം

സംഭാവന കൂപ്പൺ

Name : Popular Sand Art Mathil

Phone :

₹ 1000/-

Signature

مجمع الدعوة الإسلامية، ارنغالور، كيرالا

MAJMAU DHA-A-VATHIL ISLAMIYA

DHA-A-VA ISLAMIC CENTRE (Reg)
KOTTAPPARAMBA, P. O. IRINGALLUR
VENGARA-676 304, MALAPPURAM, KERALA
www.majmauinfo.com, majmauiringallur@gmail.com

No. **5673** Date 16/03/25

Received with thanks from Popular Crescent

a sum of Rupees

₹ 500/

Secretary

SANTHWANAM CHARITABLE TRUST
FAROOK COLLEGE ROAD, NEAR A ONE PRINTING PRESS, J.S SECULARY BUILDING
RAMANATTUKARA, KOZHIKODE 673633
Reg No: 152/2021

Email: santhwanamcharitable21@gmail.com
Ph: 8848 541 513, 9061 387 595
9048 682 933

നമ്പർ 304

തിയ്യതി 16/1/25

ശ്രീ/ശ്രീമതി Popular

പക്കൽ നിന്നും Thank Thru Ans Asad. രൂപ

സംഭാവനയായി നന്ദിപൂർവ്വം കിട്ടുബോധിച്ചു

₹ 3500

ACCOUNT DETAILS	
Bank	: State Bank of India
A/c. No.	: 42578998927
IFSC Code	: SBIN0070859
Branch	: Ramanattukara
PAN: ABCTS4097G	

ചെയർമാൻ/കൺവീനർ

SANTHWANAM CHARITABLE TRUST
FAROOQ COLLEGE ROAD,NEAR AONE PRINTING PRESS, J.S.SECULIARY
BUILDING RAMANATTUKARA,KOZHIKODE-DT 673633-PIN
Reg No:152/2021

Email: santhwanamcharitable21@gmail.com
PH: 8848 541 513,9061 387 595,9048 682 933

നമ്പർ : 493

തിയ്യതി 20/3/24

ശ്രീ/ശ്രീമതി Popular

പക്കൽ നിന്നും ..... രൂപ

സംഭാവനയായി നന്ദിപൂർവ്വം കിട്ടിബോധിച്ചു.

₹ 1500

ACCOUNT DETAILS
Bank : State Bank of India
A/c.No : 42578998927
IFSC Code : SBIN0070859
Branch : Ramanattukara
PAN: ABCTS4097G

ചെയർമാൻ/കൺവീനർ

SANTHWANAM CHARITABLE TRUST
FAROOK COLLEGE ROAD, NEAR A ONE PRINTING PRESS, J.S SECULARY BUILDING
RAMANATTUKARA, KOZHIKODE 673633
Reg No: 152/2021

Email: santhwanamcharitable21@gmail.com
Ph: 8848 541 513, 9061 387 595
9048 682 933

നമ്പർ 051

തിയ്യതി 15/3/25

ശ്രീ/ശ്രീമതി Popular

പക്കൽ നിന്നും..... രൂപ

സംഭാവനയായി നന്ദിപൂർവ്വം കിട്ടിബോധിച്ചു

₹ 500/-

ACCOUNT DETAILS
Bank : State Bank of India
A/c. No. : 42578998927
IFSC Code : SBIN0070859
Branch : Ramanattukara
PAN: ABCTS4097G

ചെയർമാൻ/കൺവീനർ

AASHRITHA CHARITABLE TRUST

Reg. No. 189/17 (12AA/80G/10A/10B/NEETHI AYOG / FCRA)
Citra Market City, First Floor, 59/2715-B, Palayam
Kozhikode - 673 002, Ph: 0495 2306230, Mob: +91 9496151579

Receipt No. 9826

Date 20/4/25

Reg.No: 189/2017 Alshweriya Flatt Govindapuram P.O Kunnameri

Received with thanks from

www.aashrithatrust.org
aashrithacharitabletrust
aashrithahealth@gmail.com
G-PAY - 790 770 8356

A/c. No. 37158060614
IFSC : SBIN0070188
Kannur Road, Calicut

₹ 1500/-

സംഭാവനകൾക്ക് ആദായനികുതി 80 – ജി പ്രകാരമുള്ള നികുതി ഇളവ് ലഭിക്കും

SECRETARY

موكز دار النجاة للأيتام والفقراء (البنات) كلية لتحفيظ القرآن

MARKAZ DARUNNAJATH BANATH ORPHANAGE & HIFZUL QURAN COLLEGE

P.O Chemmalasseri, **Alambara-Paloor**, Pulamanthole
Malappuram Dt., Kerala, India, Pin: 679 323

CASH RECEIPT

No. 35607

Date 25-3-25

Received with thanks from

the sum of Rupees

being donation.

₹ 500/-

Manager

Secretary

Tel: 04933-267750, Mob/ 9745300840, 8137873870, 9846196666
E-mail: markazdarunnajath@gamil.com, facebook: markazpulamanthole

Reg.No. 1053/2023, OCB Reg.No. 1032/2004
A/c.No. 11850100164578, Federal Bank, Pulamanthole

ANNEXURE 7

MONITORING REPORT

Standards
Quality Services Through Technical Excellence

TC-12939

TEST REPORT

ULR No: TC12939250000005170F		
LRI No.: SEAAL24121817A	Date: 23-12-2024	Page 1 of 1

CUSTOMER DETAILS	
Customer Name & Address	**M/s Popular Sand & Metals** Oorakam Village Thirurangadi Taluk, Malappuram District, Kerala
Customer Reference	Test Request Date: 18-12-2024

SAMPLE DETAILS			
Product Category	Atmospheric Pollution	Sample Code	EN24120564
Sample Name	Ambient Air	Sample Received on	19-12-2024
Sample Conditions at Receipt	Fit for Analysis	Test Commenced on	20-12-2024
Sampled by	Lab Authorized Sampler	Test Completed on	23-12-2024

DETAILS OF SAMPLING			
Sampling Location	Project Site	Date of Sampling	18-12-2024
Sampling Procedure	SEAAL/CHL/SOP/7.3/02	Humidity	70%

SAMPLING SITE DETAILS			
Project Name	Granite Building Stone Quarry of M/s Popular Sand & Metals		
Survey No.	42/2 pt, 42/3 pt & 43/4 pt		
Village	Oorakam	Taluk	Thirurangadi
District	Malappuram	State	Kerala

TEST RESULTS-CHEMICAL DISCIPLINE

SL NO	PARAMETERS	TEST METHOD	UNIT	RESULT	NAAQ STANDARD
1	Particulate matter PM_{10}	IS 5182 (Part 23): 2006	$\mu g/m^3$	54.5	100 (Max)
2	Particulate matter $PM_{2.5}$	IS 5182 (Part 24): 2019	$\mu g/m^3$	27.2	60 (Max)
3	Sulphur dioxide as SO_2	IS 5182 (Part 2): 2001	$\mu g/m^3$	4.54	80 (Max)
4	Nitrogen dioxide as NO_2	IS 5182 (Part 6): 2006	$\mu g/m^3$	4.98	80 (Max)

Remarks: ***End of Report***

Shency Joy
TM - Chemical
Checked by

Standards Environmental & Analytical Laboratories Edayar

Ramar R.
Technical Head
Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories
Accreditation & Certification:
NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory.
Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.
'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist.-683 110.
Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

Standards
Quality Services Through Technical Excellence

TC-12939

TEST REPORT

ULR No: TC12939250000005171F		
LRI No.: SEAAL24121818A	Date: 23-12-2024	Page 1 of 2

CUSTOMER DETAILS	
Customer Name & Address	**M/s Popular Sand & Metals** Oorakam Village, Thirurangadi Taluk, Malappuram District, Kerala
Customer Reference	Test Request date: 18-12-2024

DETAILS OF MONITORING			
Product Category	Atmospheric Pollution	Sample Code	EN24120565
Sample Name	Ambient Noise	Monitoring Commenced on	18-12-2024
Test Method	IS 9989:1981	Monitoring Completed on	19-12-2024
Monitoring Location	Project Site	Monitored by	Lab Authorized Sampler

SAMPLING SITE DETAILS			
Project Name	Granite Building Stone Quarry of M/s Popular Sand & Metals		
Survey No.	42/2 pt, 42/3 pt & 43/4 pt		
Village	Oorakam	Taluk	Thirurangadi
District	Malappuram	State	Kerala

MONITORING RESULTS - Leq

TIME	RESULTS dB(A)	TIME	RESULTS dB(A)	TIME	RESULTS dB(A)
06:00	40.1	14:00	53.7	22:00	38.8
07:00	43.0	15:00	54.1	23:00	37.7
08:00	47.5	16:00	55.3	24:00	40.5
09:00	51.2	17:00	55.8	01:00	41.2
10:00	53.7	18:00	50.0	02:00	40.8
11:00	57.0	19:00	46.3	03:00	41.6
12:00	54.1	20:00	42.1	04:00	40.5
13:00	53.3	21:00	41.6	05:00	42.4

Shency Joy
TM - Chemical
Checked by

Standards Environmental & Analytical Laboratories Edayar

Ramar R.
Technical Head
Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories
Accreditation & Certification:
NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory.
Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.
'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist.-683 110.
Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

Standards
Quality Services Through Technical Excellence

TC-12939

TEST REPORT

ULR No: TC12939250000005171F		
LRI No.: SEAAL24121818A	Date: 23-12-2024	Page 2 of 2

Sl. No.	PARAMETERS	UNIT	RESULT
1	Ambient Sound Level (Leq) Day Time	dB(A)	52.2
2	Ambient Sound Level (Leq) Night Time	dB(A)	40.9

Remarks: ***End of Report***

Shency Joy
TM - Chemical
Checked by

Standards Environmental & Analytical Laboratories Edayar

Ramar R.
Technical Head
Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories
Accreditation & Certification:
NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory.
Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.
'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist.-683 110.
Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

Standards
Quality Services Through Technical Excellence

TC-12939

TEST REPORT

ULR No.: TC12939240000022063F		
LRI No: SEAAL24121820A	Date: 23-12-2024	Page 1 of 2

CUSTOMER DETAILS	
Customer Name & Address	**M/s Popular Sand & Metals** Oorakam Village Thirurangadi Taluk Malappuram District, Kerala.
Customer Reference	Test Request date : 18-12-2024

SAMPLE DETAILS			
Product Category	Pollution & Environment	Sample Code	EN24120566
Sample Name	Soil	Sample Received on	19-12-2024
Sample Conditions at Receipt	Fit for Analysis	Test Commenced on	20-12-2024
Sample Quantity & Packing	500g in Polyethene Bag	Test Completed on	23-12-2024
Information Provided by Customer	---	Sampled by	Lab Authorized Sampler
DETAILS OF SAMPLING			
Sample Source/ Location	Project Site	Date of Sampling	18-12-2024
Sampling Procedure	SEAAL/CHL/SOP/7.3/01	Sample Temperature	30 °C

SAMPLING SITE DETAILS			
Survey No.	42/2 pt, 42/3 pt & 43/4 pt		
Village	Oorakam	Taluk	Thirurangadi
District	Malappuram	State	Kerala

TEST RESULTS – CHEMICAL DISCIPLINE

Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT
1	pH	IS 10158: 1982	---	6.08
2	Conductivity	IS 14767: 2000	µS/cm	108
3	Water Holding Capacity	SEAAL/EN/SLS/SOP/01	%	61.8

Shency Joy
TM - Chemical
Checked by

Standards Environmental & Analytical Laboratories Edayar

Ramar R.
Technical Head
Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories
Accreditation & Certification:
NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory.
Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.
'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist.-683 110.
Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

Standards
Quality Services Through Technical Excellence

TC-12939

TEST REPORT

ULR No.: TC12939240000022063F		
LRI No: SEAAL24121820A	Date: 23-12-2024	Page 1 of 2

TEST RESULTS – CHEMICAL DISCIPLINE					
Sl. No.	PARAMETERS		TEST METHOD	UNIT	RESULT
4	Particle Size Distribution	Clay	SEAAL/CHL/SOP/7.2/21	%	34.8
		Sand	SEAAL/CHL/SOP/7.2/21	%	45.2
		Silt	SEAAL/CHL/SOP/7.2/21	%	20.0
5	Organic Matter		IS 2720 (Part 22):1992	%	0.39
6	Sodium as Na		USEPA 7000B:2007	mg/kg	940
7	Chlorides		SEAAL/CHL/SOP/7.2/16	mg/kg	2100
8	Sulphur as SO_4		SEAAL/CHL/SOP/7.2/23	mg/100g	30.0
9	Total Kjeldahl Nitrogen (as N)		IS 14684 :1999	%	0.36
10	Available Potassium		SEAAL/CHL/SOP/7.2/11	meq/100g	68.5
11	Total Phosphorous as P		IS 10158:1982	mg/kg	149

Remarks:

End of Report

Shency Joy
TM - Chemical
Checked by

Standards Environmental & Analytical Laboratories Edayar

Ramar R.
Technical Head
Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories
Accreditation & Certification:
NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory.
Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.
'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist.-683 110.
Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

Standards
Quality Services Through Technical Excellence

TC-12939

TEST REPORT

ULR No: TC12939250000005169F		
LRI No.: SEAAL24121819A	Date: 23-12-2024	Page 1 of 2

CUSTOMER DETAILS	
Customer Name & Address	**M/s Popular Sand & Metals** Oorakam Village Thirurangadi Taluk, Malappuram District, Kerala
Customer Reference	Test Request Date: 18-12-2024

SAMPLE DETAILS			
Product Category	Water	Sample Code	WT24120613
Sample Name	Ground Water	Sample Received on	19-12-2024
Sample Description by Customer	Open Well Water	Temperature @ Receipt	4°C
Sample Conditions at Receipt	Fit for Analysis	Test Commenced on	20-12-2024
Sample Quantity& Packing	2 L & 125 ml in a Plastic Bottle	Test Completed on	23-12-2024
Information Provided by Customer	---	Sampled by	Lab Authorized Sampler

DETAILS OF SAMPLING			
Sample Source	Project Site	Date of Sampling	18-12-2024
Sampling Procedure	SEAAL/QAD/SOP/7.3/01	Sample Temperature	29°C

SAMPLING SITE DETAILS			
Project Name	Granite Building Stone Quarry of M/s Popular Sand & Metals		
Survey No.	42/2 pt, 42/3 pt & 43/4 pt		
Village	Oorakam	Taluk	Thirurangadi
District	Malappuram	State	Kerala

TEST RESULTS– CHEMICAL DISCIPLINE

Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT	Requirement as per Acceptable Limit of IS 10500: 2012
1	Colour	IS 3025 (Part 4): 2021	Hazen	1	5 (Max)

Shency Joy
TM - Chemical
Checked by

Standards Environmental & Analytical Laboratories Edayar

Remya B.
TM-Biological
Authorized Signatory

Ramar R.
Technical Head
Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories
Accreditation & Certification:
NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory.
Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.
'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist.-683 110.
Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

Standards
Quality Services Through Technical Excellence

TC-12939

TEST REPORT

ULR No: TC12939250000005169F		
LRI No.: SEAAL24121819A	Date: 23-12-2024	Page 2 of 2

TEST RESULTS– CHEMICAL DISCIPLINE

Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT	Requirement as per Acceptable Limit of IS 10500: 2012
2	Odour	IS 3025 (Part 5): 2018	---	Agreeable	Agreeable
3	Turbidity	IS 3025 (Part 10): 2023	NTU	<0.10	1.0 (Max)
4	pH	IS 3025 (Part 11): 2022	---	6.91	6.50–8.50
5	Conductivity	IS 3025 (Part 14): 2013	µS/cm	108	---
6	Total Dissolved Solids	IS 3025 (Part 16): 2023	mg/L	68.0	500 (Max)
7	Total Hardness as $CaCO_3$	IS 3025(Part 21): 2009	mg/L	32.3	200 (Max)
8	Calcium as Ca	IS 3025(Part 40): 1991	mg/L	8.80	75 (Max)
9	Magnesium as Mg	IS 3025 (Part 46): 2023	mg/L	2.46	30 (Max)
10	Chloride as Cl	IS 3025(Part 32): 1988	mg/L	14.0	250 (Max)
11	Total Alkalinity as $CaCO_3$	IS 3025 (Part 23): 2023	mg/L	20.2	200 (Max)
12	Iron as Fe	IS 3025(Part 53): 2003	mg/L	0.17	1 (Max)
13	Sulphate as SO_4	IS 3025 (Part 24/Sec 1): 2022	mg/L	<1.00	200 (Max)

TEST RESULTS – BIOLOGICALDISCIPLINE

Sl.No.	PARAMETERS	TEST METHOD	UNIT	RESULT	Requirement as per Acceptable Limit of IS 10500: 2012
1	Total Coliform Bacteria	IS 15185: 2016	----	Absent/100 ml	Absent/100 ml
2	*E.coli*	IS 15185: 2016	----	Absent/100 ml	Absent/100 ml

Remarks:

End of Report

Shency Joy TM - Chemical Checked by	Standards Environmental & Analytical Laboratories, Edayar	Remya B. TM-Biological Authorized Signatory	Ramar R. Technical Head Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

ANNEXURE 08

ENVIRONMENTAL CLEARANCE COPY

सत्यमेव जयते

Validity expires on 01.05.2022

Proceedings of the State Environment Impact Assessment Authority Kerala

Present: Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member and Sri. James Varghese, I.A.S., Member Secretary.

Sub: SEIAA- Environmental clearance for the proposed building stone quarry project in Sy. Nos. 42/2 pt, 42/3 pt & 43/ 4 pt. at Oorakam Village and Panchayat, Thirurangadi Taluk, Malappuram District, Kerala by Sri. Basil Paul (Managing Partner), M/s Popular Sand and Metals - EC granted – Orders issued.

STATE ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY, KERALA

No. 874/SEIAA/EC1/3105/2015 ***Dated,Thiruvananthapuram 02.05.2017***

Ref: 1. Application dated 05-08-2015 from Sri. Basil Paul (Managing Partner), M/s Popular Sand and Metals, Mullackal House, Poothrikka P.O., Puthencruz *via.*, District Ernakulam, Kerala – 682 308
2. Minutes of the 62nd Meeting of SEAC held on 06th & 07th September, 2016
3. Minutes of the 67th Meeting of SEAC held on 27th January 2017.
4. Minutes of the 65th Meeting of SEIAA held on 22nd March 2017.

ENVIRONMENTAL CLEARANCE NO.32/2017

Sri. Basil Paul (Managing Partner), M/s Popular Sand and Metals, Mullackal House, Poothrikka P.O., Puthencruz *via.*, District Ernakulam, Kerala – 682 308, vide his application received on 05-08-2015, has sought Environmental Clearance under EIA Notification, 2006 for the quarry project in Sy. Nos. 42/2 pt, 42/3 pt & 43/4 pt. at Oorakam Village and Panchayat, Thirurangadi Taluk, Malappuram District, Kerala. The project comes under Category B2 as per the O.M. No. 13012/12/2013-IA-II (I) dtd. 24.12.2013 of Ministry of Environment and Forests, since the area of the project is below 25 hectares. The proposed project site falls within Latitude (N) 11°05'07.12" to 11°05'13.20"N, Longitude (E) 76°01'24.94" to 76°01'34.61" E. The land use classification as per revenue records is private own land with native plantation. The present land use is rocky land. The current proposal is for the Existing quarry with pit area of 3.8675 hectares and mineral specific. Hence no alternate site was examined. The proposed project is for quarrying of 1,25,000 MTA of building stone.

BASIC INFORMATION OF QUARRY PROJECT

PART A

	Project details	
1.	File No.	874/SEIAA/EC1/3105/2015
2.	Name /Title of the project	Environment Clearance for Quarry project of M/s Popular Sand and Metals
3.	Name and address of project proponent.	Mr. Basil Paul (Managing Partner). M/s Popular Sand and Metals, Mullackal House, Poothrikka P.O., Puthencruz Via., Ernakulam District, Kerala-682308.
4.	Owner of the land	M/s Popular Sand and Metals
5.	Survey No. District/Taluk/ and Village etc.	Sy. Nos. 42/2 pt., 42/3 pt., 43/4 pt., Oorakam Village & Panchayat, Thirurangadi Taluk, Malappuram District, Kerala.
6.	Nature of the proposal – lease or permit with evidence.	Proposed quarry proposal for an area of 3.8675 ha.
7.	Date of submission of Application	31-07-2015
8.	Brief description of the project.	Quarry project with an area of 3.8675 ha. & proposed production capacity of 1,25,000 MTA
9.	Details of Authorized Signatory and address for correspondence	Mr. Basil Paul (Managing Partner). M/s Popular Sand and Metals, Mullackal House, Poothrikka P.O., Puthencruz Via., Ernakulam District, Kerala-682308.
	1. Land Details	
10	a) Extent of area in hectares	3.8675 ha
11	b) Is the property forest land/Govt. land/own land/patta land	Private own land
12	c) Quantity of top soil/over burden produced and managed	A total quantity of 6,693 cu. m. of topsoil and 11,712 cu. m of over burden will be removed during the mining operations. The topsoil excavated from the quarry will be dumped separately at pre-determined place and subsequently will be utilized in spreading over reclaimed areas for plantation. OB will be utilized for laying internal haul road and will form base in reclamation / plantation.
13	d) Latitude and Longitude	Latitude (N): 11^0 05' 07.12" to 11^0 05' 13.20"N Longitude (E): 76^0 01' 24.94" to 76^0 01' 34.61"E
14	e) Topography of land and elevation	Part of the proposed area is an existing quarry and there is no any vegetation. The remaining area for proposed quarry

		has native trees, climbers, grass, shrubs, herbs etc. The highest elevation of the lease area is 318 m MSL and lowest is 258 m MSL.
15	f) Slope analysis	As the proposed area is hilly, the slope is towards south.
16	g) Will there be any significant land disturbance resulting in soil erosion, subsidence & natural drainage.	Due care will be taken to provide channel all around the foot of the hill to collect run off and also to avoid soil erosion. There is no danger of flood or inundation as the proposed working is above the normal ground level. The area is not susceptible to floods.
17	h) Access road to the site width and condition	7 m. wide tarred road
18	i) Will there be any adverse impact on the aesthetics of the proposal site	The land used will be fully reclaimed and rehabilitated by backfilling the pits and plantation. Plantation and afforestation will add to the improvement in environment and aesthetic beauty of the area.
	Mining details	
19	a) Minimum and Maximum height of excavation.	Minimum – 318 m MSL Maximum – 253 m. MSL
20	b) Life of mine proposed.	About 19 Years
21	c) Underground mining if any proposed	Not applicable
22	d) Method of Mining	The mining will be done by open cast semi-mechanized method of mining.
23	e) Distance from the adjacent quarry	There is no quarry in operation within 500 m. of the proposed quarry.
24	f) Cluster condition if any	Nil
25	g) Has "No cluster certificate" submitted?	Cluster certificate submitted along with the application.
26	h) Distance from nearby habitation	Nearest house – about 104 m., (N)
27	i) Distance from nearby forest, if applicable	None within the study area
28	j) Distance from protected area, Wildlife Sanctuary, National Park etc.	None within the study area
29	k) Distance from nearby streams/rivers/National Highway and	Kadalunipuzha – about 3 km., (S) N.H. 17 – about 6.5 km., (SW)

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY KERALA

	Roads	
30	l) Is ESA applicable? If so distance from ESA limit	Not falling in ESA
31	m) Has approved mining plan, prepared by RQP submitted?	Yes, submitted along with the application
32	n) Capacity of production in TPA	1,25,000 TPA
33	o) Details of mining process	The applied area is having building stone throughout the area. As per detailed estimation the geological reserves is about 35,68,765 MT. After deducting the minerals locked in mines safety slope of 11,79,815 MT, the mineable reserves arrived to be 23,88,950 MT. The annual production is estimated to be 1,25,000 MTA. At the end of life of mine, the ultimate floor (bottom) level will reach 253 m. MSL. Under reclamation it is anticipated to undertake plantation in the applied area.
	Details of Project cost	
34	a) Land cost	About Rs. 5.92 Crores (included land, plant & machinery)
34.	b) Plant and Machinery	About Rs. 5.92 Crores (included land, plant & machinery)
35.	c) Total Cost	About Rs. 5.92 Crores (included land, plant & machinery)
36.	**V.** Financial Statement including funding source and details of insurance etc.	Funding = Own source & bank loan Insurance = Insurance to the quarry workers would provide through insurance company.
37.	Management Plan	Air Pollution: Mining activities will generate certain quantities of dust during drilling, blasting, loading and transportation operations. The following measures will be taken to mitigate the fugitive dust from different operations. • Laying of haul road as per the standards, black topping of permanent haul road and service road to avoid or eliminate air – borne dust. • To avoid the dust generation from the drilling operations, wet drilling method will be adopted. • Drill machines will be equipped with dust collectors. • Use of appropriate explosives for blasting and avoiding overcharging of blast holes.

			• Controlled blasting techniques will be adopted. • Watering of haul road and other road at regular intervals. • Provision of dust filters/ mask to workers working at highly dust prone and affected areas. • Provision of green belt all along the periphery of the lease area. • Periodical monitoring of ambient air quality in and around the lease area. **The extracted mineral will be transported from the quarry to the end user by adopting following measures so as to minimize dust emissions.** • In case of long transportation the trucks after loading will be covered with tarpaulin sheets. • Speed of the vehicles will be maintained within the prescribed limits. Trucks will not be over loaded and will be maintained to the body level. The following measures are being taken to control the dust emissions:- ➢ The unit is based on latest green technology and the entire unit is closed loop with proper control strategies ➢ The unit is well equipped with dust extraction system like bag filters at all traverse points to control the dust emissions. ➢ Closed conveyor system with water sprinkling arrangements are adopted in this unit ➢ Sufficient water is used to maintain the moisture content to control the fugitive emissions throughout the system
		Water Pollution	Provision of storm water collection pond with an appropriate capacity. The water requirement for sprinkling on sources of dust emission, on roads, landscaping etc. Can be met from the stored rainwater in the pond.

		Noise	The major noise generating source from the proposed activity is working machinery, drilling, blasting and plying of vehicles. The following control measures are to be undertaken to bring down the noise levels:- • Proper maintenance of machinery, equipments and improvement on design of machines. • Use of personal protective devices i.e., earmuffs and earplugs by workers, who are working in high noise generating areas. • Creation of wide green belt of dense foliage between mine areas and human habitation. • Proper training to personnel to create awareness about adverse noise level effects. Planned noise monitoring at suitable locations in the plant and outside location for proper effective remedial actions.
		Solid Waste Management	**Topsoil Management** A total quantity of about 6,693 cu. m. of topsoil is proposed to be removed during the mining operations. The topsoil excavated from the quarry will be dumped / stacked separately at pre-determined place and subsequently will be utilized in spreading over reclaimed areas for plantation as part of eco-restoration. Precautions will be taken to limit the height of the topsoil dump / stacked to 5 to 5 meters in order to preserve its fertility and shelf life. It will be suitably protected from soil erosion and infertility by planting fodder grass and leguminous plants during temporary storage. **Overburden Management** About 11,712 cu. m of overburden (OB) will be generated throughout the mine life. This waste will be utilized within the pit for lying of haul roads. At the end use, OB can be reutilized as soil base for plantation.
		Eco-	The year wise programme of eco-

		restoration restoration for the life of mine will be made and about 3,800 trees will be planted.
38.	**VI.** Whether Environment Management Plan or Eco restoration Plan satisfactory?	Yes
39.	**VII.** Does it suggest mitigation measures for each activity	Yes
40.	**VIII.** If Pre-Feasibility Report (PFR) satisfactory	Detailed Pre-Feasibility Report (PFR) is already submitted with E.C. Application at Page No. 27-112.
41.	**IX.** Does it need public hearing	Not applicable
42.	**X.** Details of litigation and Court verdict if any	No
43.	**XI.** Details of public complaint, if any	Nil
44.	**XII.** Details of statutory sanction required	a. Environment Clearance from SEIAA b. Consents from KSPCB c. Approval from Explosive Department d. Approval from Mining & Geology Department etc.
45.	**XIII.** If CRZ recommendation applicable?	Not applicable
	PART B **Environment Impact Assessment and Mitigation Measures** **Impact on water**	
46.	a) Details of water requirement per day in KLD	About 19 KLD
47.	b) Water source/sources.	The total water requirement is about 19 KLD in which 2 KLD is for domestic which would be sourced from open well, 15 KLD for dust suppression system in mine & in Ancillary Unit and 2 KLD for plantation purposes and will be sourced from storm water pond.
48.	c) Expected water use per day in KLD.	About 19 KLD
49.	d) Details of water requirements met from water harvesting.	About 17 KLD
50.	e) What are the impact of the	No. The mines working have been proposed quite

	proposal on the ground water?	above the ground water table.
51.	f) How much of the water requirement can be met from the recycling of treated waste water? (Facilities for liquid waste treatment)	No
52.	g) What is the incremental pollution load from waste water generated from the proposed activities?	The sewage to a tune of 1.6 KLD generated from the mine office will be diverted to the septic tank followed by soak pit.
53.	h) How is the storm water from within the site managed?	➢ Storm water drains with silt traps will be suitably constructed all along the periphery of the pit area to collect the run-off from the lease area and divert into the storm water pond/tanks proposed within the complex. ➢ All measures will be taken not to disturb the existing drainage pattern adjacent to the other property. ➢ De-siltation traps and storm water collection pond proposed for silt removal. ➢ The storm water collected from the lease area will be utilized for dust suppression on haul roads, plantation within the premises etc.
Impact on Biodiversity and Eco restoration Programmes		
54.	a) Will the project involve extensive clearing or modification of vegetation? (Provide details)	Part of the proposed area is an existing quarry and this area is devoid of any vegetation. The remaining area for proposed quarry has native trees, climbers, grass, shrubs, herbs etc.
55.	b) What are the measures proposed to minimize the likely impact on vegetation (details of proposal for tree plantation/ landscaping)	The year wise programme of eco-restoration for the life of mine will be made and about 3,800 trees will be planted. Ecological restoration for the mined area by plantation of the species as per the time schedule suggested below: - First Six months -- Herbs & grass Next Six months -- Shrubs Next Six months onwards -- Trees Selection of species is based on High Dust Capturing, Soil Holding Capacity, ground water recharge capacity etc. More focus is given for medicinal plants.
56.	c) Is there any displacement of fauna – both terrestrial and aquatic. – If so what are the mitigation measures ? d) Presence of any	No No endangered species found at site.

	endangered species or red listed category (in detail)	
	Impact on Air Environment	
57.	a) What are the mitigation measures on generation of dust, smoke and air quality	Details already provided at EMP section at Sr. No. 38 above.
58.	b) Details of internal traffic management of the site.	Designated space will be provided for parking of truck/tipper within the site. For the purposes of mining activities, existing roads are sufficient. However, haul road will be suitably developed within the proposed area.
60.	c) Details of noise from traffic, machines and vibrator and mitigation measures	Details already provided at EMP section at Sr. No. 38 above.
61.	d) Impact of DG sets and other equipments on noise and vibration and ambient air quality around the project site and mitigation measures	Details already provided at EMP section at Sr. No. 38 above.
62.	e) Air quality monitoring in detail	Details already provided at EMP section at Sr. No. 38 above.
	Energy Conservation	
63.	a) Details of power requirement and source of supply.	The total power requirement will be 75 kW for compressors which will be operated by Diesel Engine.
64.	b) Details of renewable energy (non – conventional) used.	We will promote renewable energy resources.
	Risk Management	
65	1) Are there sufficient measures proposed for risk hazards in case of emergency such as accident at the site?	Detailed Environment Management Plan is already submitted with E.C. Application at Page No. 79-89.
66	2) Are proposals for fencing around the quarry satisfactory? 3) Storage of explosives/hazardous substance in detail 4) Facility for solid waste management	Barbed wire fencing will be done all around the quarry site. Detailed Environment Management Plan is already submitted with E.C. Application at Page No. 79-89. Topsoil and over burden will be removed during the mining operations. The topsoil excavated from the quarry will be dumped separately at pre-determined place and subsequently will be utilized in spreading over reclaimed areas for plantation.

		OB will be utilized for laying internal haul road and will form base in reclamation / plantation. The municipal solid waste will be suitable disposed.
	Socio Economic Impacts	
67	a) Will the project cause adverse effects on local communities disturbance to sacred sites or other cultural values. What are the safe guards proposed?	No.
68	b) Will the proposal result in any changes to the demographic structure of local population. If so, provide details.	The proposed project will directly / indirectly develop the area by providing employment opportunities. With the proposed development in and around the area there will be many supporting facilities/ infrastructure eventually leading to the development of the area.
69	c) Are the CSR proposals satisfactory. Give details	Yes. A detailed study on social status of the project site surroundings & need base study on proposed CSR activities were carried out. The summary of the report is given below :-

Sl. No.	Particulars	Rs in lakhs (approx.)
1	Promotion of education	Rs. 6.65 Lakhs (Recurring) Rs. 2.22 Lakhs (Non-recurring)
2	Infrastructure development	Rs. 2.0 Lakhs (Recurring) Rs. 4.50 Lakhs (Non-recurring)
[illegible]	Care [illegible] for Differently [illegible]	Rs. 2.40 Lakhs (Recurring) Rs. 3.75 Lakhs (Non-recurring)
[illegible]	Ensuring environmental sustainability	Rs. 3.0 Lakhs (Recurring) Rs. Nil Lakhs (Non-recurring)
5	Reduction in carbon footprint & CO_2 emission	Rs. Nil Lakhs (Recurring) Rs. 0.90 Lakhs (Non-recurring)
	Total	**Rs. 14.05 Lakhs (Recurring) Rs. 11.57 Lakhs (Non-recurring)**

70	d) What are the projects benefits in terms of employment potential?	Due to the mining activity and due to the attached ancillary unit, there will be workers attracted to the project area. It is proposed to employ 25 persons in the project.
	PART C	
71	Details of NABET	M/s Environmental Engineers & Consultants Pvt. Ltd.

	approved EIA Consultant engaged- Their name, address and accreditation details	(NABET Accredited Consultant Organization) Head Office :- A1-198, JanakPuri, New Delhi. Branch Office:- C-306, Kanchanjunga Apartments, Palarivattom P.O., Kochi, Kerala.
	Summary and Conclusion	
72	a) Overall justification for implementation of the project.	It is predicted that socio-economic impact due to this project will positively increase the chance of more employment opportunities for local inhabitants. There are no Resettlement and Rehabilitation issues involved in this project. The project infrastructures will be of use to people of the area. The revenue of the State Govt. will be definitely increasing due to the proposed activity. The entire project area is devoid of any endangered flora and fauna. It is proposed to reclaim the land and develop green cover for eco-restoration with native species to a maximum possible extent. Additionally, an area is earmarked outside the proposed mining area for compensatory mass plantation. Also, a storm water pond is proposed outside the mining area for storage of rain water and for its subsequent use so as to conserve fresh water consumption. Thus the proposed project is not likely to affect the environment or adjacent ecosystem adversely.
73	b) Explanation of how adverse impact have been mitigated.	Detailed Pre-Feasibility Report (PFR) with Environment Management Plan (EMP) is already submitted with E.C. Application at Page No. 75-101.

2. The proponent has submitted the approved mining plan as per KMMC Rules-2015. The proposal was placed in the 62nd meeting of SEAC held on 06th & 07th September 2016. The Committee deferred the item for field visit. Sri John Mathai will also join the sub-committee during the site visit.

Field visit to the site was carried out on 12 Nov 2016 by Dr. P.S. Harikumar and Dr Khaleel Chovva. The representatives of the proponent were present during the site inspection. The proposed project site falls within Latitude (N) 11°05'07.12" to 11°05'13.20"N, Longitude (E) 76°01'24.94" to 76°01'34.61" E.

The land is a private own land with native plantation. The current proposal is for an existing quarry with pit area of 3.8675 hectares. No habitations were seen within 100 m. The quarrying is carried by forming benches. They had constructed proper road to reach the site. The overburden was not seen properly collected and stored. The drainage needs improvement.

The following Specific conditions are suggested

1. The water drained from the site should be properly collected and clarified before discharge.
2. The overburden should be stored at a specific site and with protection.
3. The CSR has to be revised consulting the local panchayath.

In addition to the general conditions the above specific conditions needs to be complied with.

3. The proposal was considered in the 67th Meeting of SEAC held on 27th January 2017. The Committee appraised the proposal based on Form I, Pre-feasibility Report, Mining Plan, Field inspection report of the Sub Committee and all other documents submitted with the proposal. The Committee decided to Recommend for issuance of EC subject to general conditions in addition to the following specific condition for mining.

1. *If any plant species endemic to Western Ghats are noticed in the area they shall be properly protected in situ or by transplanting to an appropriate location inside the lease area.*

The proponent agreed to set apart 11.57 lakh (non-recurring) and Rs.14.05 lakhper annum (recurring)for CSR activities for the welfare of the local community in consultation with the local Panchayat.

4. The proposal was considered by the Authority in its 65th meeting held on 22.03.2017. The Authority decided to issue EC subject to the strict implementation of all specific conditions in addition to the general conditions as well as the conditions suggested by the field inspection report. An affidavit to this effect should be submitted before the issuance of EC.

5. The proponent has submitted an affidavit stating that all specific conditions shall be strictly implemented. Environmental clearance as per the EIA notification 2006 is hereby accorded for the proposed building stone quarry project of Sri. Basil Paul (Managing Partner), M/s Popular Sand and Metals, Mullackal House, Poothrikka P.O., Puthencruz *via.*, Ernakulam, Kerala – 682 308 in Survey No. 42/2 pt, 42/3 pt & 43/4 pt. at Oorakam Village and Panchayat, Thirurangadi Taluk, Malappuram District, Kerala for an area of 3.8675 hectares, subject to the specific conditions as recommended by SEAC in para 2 & 3 above, all the environmental impact mitigation and management measures undertaken by the project proponent in the Form I, EMP, PFR and Mining Plan submitted to SEIAA. The assurances and clarifications given by the proponent will be deemed to be a part of these proceedings as if incorporated herein. Also the general conditions for projects stipulated for mining, appended hereto will be applicable and have to be strictly adhered to.

6. The clearance issued will also be subject to full and effective implementation of all the undertakings given in the application form, mitigation measures as assured in the Environment Management Plan and the mining features including progressive mine closure plan as submitted with the application and relied on for grant of this clearance. The above undertakings and the conditions and the undertakings in Chapter 4 (Mining), Chapter 5 (Blasting), Chapter 6 (Mine Drainage), Chapter 7 (Stacking of Mineral rejects and Disposal of waste) Chapter 11 (EMP) Chapter 12 (Progressive Mine Closure Plan) of the Mining Plan as submitted will be deemed to be part of this proceedings as conditions as undertaken by the proponent, as if incorporated herein.

7. Validity of the Environmental Clearance will be five years from the date of this clearance, subject to inspection by SEIAA on annual basis and compliance of the conditions, subject to earlier review of E.C in case of violation or non-compliance of conditions or genuine complaints from residents within the security area of the quarry.

8. Compliance of the conditions herein will be monitored by the State Environment Impact Assessment Authority or its authorised offices and also by the regional office of the Ministry of Environment & Forests, Govt. of India, Bangalore.

i. Necessary assistance for entry and inspection should be provided by the project proponent and those who are engaged or entrusted by him to the staff for inspection or monitoring.
ii. Instances of violation if any shall be reported to the District collector, Malappuram to take legal action under the Environment (Protection) Act 1986.
iii. The given address for correspondence with the authorised signatory of the project is Sri. Basil Paul (Managing Partner), M/s Popular Sand and Metals, Mullackal House, Poothrikka P.O., Puthencruz *via*., Ernakulam, Kerala – 682 308.

Sd/-
JAMES VARGHESE.I.A.S,
Member Secretary (SEIAA)

To,

Sri. Basil Paul (Managing Partner),
M/s Popular Sand and Metals,
Mullackal House, Poothrikka P.O.,
Puthencruz *via*., Ernakulam,
Kerala – 682 308

Copy to,

1. MoEF Regional Office, Southern Zone, Kendriya Sadan, 4th Floor, E&F Wing, II Block, Koramangala, Bangalore-560034.
2. The Additional Chief Secretary to Government, Environment Department, Government of Kerala.
3. Director, Mining & Geology, Thiruvananthapuram -4.
4. District Collector, Malappuram
5. Secretary, Oorakam Panchayat Office, Oorakam-Kizhumuri P.O, Thirurangadi Taluk, Malappuram – 676 519
6. Chairman, SEIAA.
7. Website.
8. S/f
9. O/c

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY, KERALA

Forwarded/By order
Rajendran
Administrator, SEIAA

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY KERALA

GENERAL CONDITIONS (for mining projects)

1. Rain Water Harvesting facility should be installed as per the prevailing provisions of KMBR / KPBR, unless otherwise specified.
2. Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.
3. Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, including of approach road and internal roads.
4. Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.
5. Sprinklers shall be installed and used in the project site to contain dust emissions.
6. Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.
7. At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly, if no other specific condition on reclamation of pit is stipulated in the E.C.
8. Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented
9. The lease area shall be fenced off with barbed wires to a minimum height of 4ft around, before starting of mining. All the boundary indicators (boards, stores, markings, etc) shall be protected at all times and shall be conspicuous.
10. Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of Explosive Department.
11. Control measures on noise and vibration prescribed by KSPCB should be implemented.
12. Quarrying activities should be limited to day time as per KSPCB guidelines/specific conditions.
13. Blasting should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
14. A licensed person should supervise/ control the blasting operations.
15. Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.
16. Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan / specific conditions.
17. Height of benches should not exceed 5 m, and width should not be less than 5 m, if there is no mention is the mining plan/specific condition.
18. Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.
19. Maximum depth of mining from general ground level at site shall not exceed 10m
20. No mining operations should be carried out at places having a slope greater than 45°.
21. Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.
22. The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.
23. Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.
24. The transportation of minerals should be done in covered trucks to contain dust emissions.
25. The proponent should plant trees at least 5 times of the loss that has been occurred while clearing the land for the project.
26. Disposal of spent oil from diesel engines should be as specified under relevant Rules/ Regulations.
27. Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department.
28. A minimum buffer distance of 100m from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.
29. 100 m buffer distance should be maintained from forest boundaries.

30. Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.

31. All other statutory clearances should be obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.

32. In the case of any change(s) in the scope of the project, extent quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts as assessed, based on which only the E.C is issued, the project would require a fresh appraisal by this Authority, for which the proponentshall apply and get the approval of this Authority.

33. The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.

34. The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.

35. The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environment Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at www.seiaakerala.org. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.

36. A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat/ District Panchayat/ Municipality/Corporation/Urban Local Body and also to the Local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The Environmental Clearance shall also be put on the website of the company by the proponent.

37. The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also to the State Environment Impact Assessment Authority (SEIAA) office.

38. The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font of size of not less than 40.Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public

39. The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.

40. No change in mining technology and scope of working should be made without prior approval of the SEIAA, No further expansion or modifications in the mine shall be carried out without prior approval of the SEIAA, as applicable.

41. The Project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.

42. Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board. Water sprinkling should be increased at places loading and unloading points & transfer point to reduce fugitive emissions.

43. The top soil, if any, shall temporarily be stored at earmarked site(s) only for the topsoil shall be used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained to 45^0. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.

44. Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly.

45. Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM_{10} and $PM_{2.5}$ such as haul Road, loading and unloading points and transfer points – it shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.

46. Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.

47. Measures should be taken for control of noise levels below 85 dBA in the work environment.

48. A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.

49. The funds earmarked for environmental protection measures and CSR activate should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office.

50. The Regional Office of MOEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (S) of the Regional Office by furnishing the requisite data/information/monitoring reports.

51. Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

53. The SEIAA may revoke or suspend the order, for non implementation of any of the specific or thisimplementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environment protection.

54. The above conditions shall prevail notwithstanding anything to the contrary, in consistent, or simplified, contained in any other permit, licence or consent given by any other authority for the same project.

55. This order is valid for a period of 5 years or the expiry date of mine lease period issued by the Government of Kerala, whichever is earlier.

56. The Environmental Clearance will be subject to the final order of the courts in any pending litigation related to the land or project, in any court of law.

57. The mining operation shall be restricted to above ground water table and it should not intersect ground water table.

58. All vehicles used for transportation and within the mines shall have 'PUC' certificate from authorized pollution taking centre. Washing of all vehicles shall be inside the lease area'

59. Project proponent should obtain necessary prior permission of the competent authorities for drawal of requisite quantity of surface water and ground water for the project.

60. Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six monthly reports to SEIAA.

61. Occupational health surveillance program of the workers should be under taken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.

For Member Secretary, SEIAA Kerala

IN THE HIGH COURT OF KERALA AT ERNAKULAM

PRESENT

THE HONOURABLE MR.JUSTICE N.NAGARESH

TUESDAY, THE 18TH DAY OF OCTOBER 2022 / 26TH ASWINA, 1944

WP(C) NO. 22257 OF 2022

PETITIONERS:

1. POPULAR SANDS AND METALS,
   OORAKAM P.O., MELMURI, MALAPPURAM DISTRICT-676 519.
   REPRESENTED BY ITS MANAGING PARTNER MR.K.S. POULOSE.
2. K.S. POULOSE,
   MANAGING PARTNER, M/S. POPULASR SAND AND METALS,
   AGED 58 YEARS, S/O. SCARIA KONATTU HOUSE,
   EZHAKKARANADU P.O., PUTHENCRUZ VIA, ERNAKULAM - 682 308.

   BY ADV JOBI JOSE KONDODY

RESPONDENTS:

1. STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY (SEIAA, KERALA), REPRESENTED BY ITS MEMBER SECRETARY, KSRTC BUS TERMINAL COMPLEX, 4TH FLOOR, THAMPANOOR, THIRUVANANTHAPURAM - 695 001.
2. MR.BASIL PAUL,
   MULLAKKAL HOUSE, POOTHRIKKA PO, PUTHENCRUZ,
   ERNAKULAM -682 308.
3. M.O. MATHAI,
   AGED 62, S/O OUSEPH, RESIDING IN THE ADDRESS C-03, MAHAVIR-10, SECTOR 25, NEERUL, NAVEEN, MUMBAI,
   STATE OF MAHARASHTRA, PIN: 400706.
4. SAJU PAUL,
   AGED 58, S/O LYPE PAILI, RESIDING IN THE ADDRESS 302, MILLENUM PARK, SECTOR-25, NEERUL, NAVEEN, MUMBAI,
   STATE OF MAHARASHTRA, PIN: 400706.
5. JIBIN JACOB,
   AGED 44, S/O JACOB, RESIDING IN THE ADDRESS MULLAKKAL HOUSE, POOTHRIKKA P O, ERNAKULAM DISTRICT-682308.

6 A.N SADASIVAN NAIR,
AGED 61, S/O NARAYANAN NAIR, RESIDING AT ELAYATHOTHIL HOUSE, OORAMANA P O, RAMAMANGALAM VIA,
ERNAKULAM DISTRICT, KERALA STATE, PINCODE-682308.

7 JOHN JACOB,
AGED 56, S/O JACOB, RESIDING AT MAMALAYIL HOUSE, EZHAKARANADU P O, ERNAKULAM DISTRICT, KERALA STATE, PINCODE-682308.

8 SHINOY PAUL,
AGED 32, S/O POULOSE, RESIDING AT KONATT HOUSE, , EZHAKARANADU PO, PUTHENCRUZ VIA, ERNAKULAM DISTRICT, KERALA STATE, PINCODE-682308.

9 BASIL MATHAI,
AGED 28, S/O MATHAI M O, MULLACKAL HOUSE, POOTHRIKKA PO, ERNAKULAM DISTRICT-682308.

10 GEORGIN B VADATH,
AGED 21, S/O BINESH G VADATH, VADATH HOUSE, POOTHRIKKA P O, ERNAKULAM DISTRICT-682308.

11 MARY MATHEW,
AGED 46, W/O BIJU P JOHJN, PULLAMKOTTU HOUSE, PERINGOLI, KOLANCHERI P O, ERNAKULAM DISTRICT, KERALA STATE, PINCODE-682 311.

12 JIJI JOHNY,
AGED 47, W/O JOHNY, MANNULLIL HOUSE, THIRUVANIYOOR, PUTHNCRUZ P O, ERNAKULAM DISTRICT, PINCODE- 682308.

ADDITIONAL RESPONDENTS 3 TO 12 ARE IMPLEADED AS PER ORDER DATED 16.08.2022 IN IA NO.1/2022 IN WP(C) NO.22257/2022.

BY ADVS.
SRI.ABRAHAM MATHEW (VETTOOR) FOR R2
SRI.G.SREEKUMAR (CHELUR) FOR R3 to R12
SRI.ANIL ABEY JOSE FOR R2
SRI.M.P.SREEKRISHNAN FOR R1

THIS WRIT PETITION (CIVIL) HAVING COME UP FOR ADMISSION ON 18.10.2022, THE COURT ON THE SAME DAY DELIVERED THE FOLLOWING:

JUDGMENT

Dated this the 18th day of October, 2022

The 1st petitioner, a Partnership Firm and its Managing Partner holding a quarrying lease, have approached this Court seeking to direct the 1st respondent to effect change in the occupier status in Ext.P2 Environmental Clearance in the light of Exts.P7, P8 and P10.

2. There were 11 Partners in the 1st petitioner-Partnership Firm of which, the 2nd respondent was the Managing Partner when the Environmental Clearance was issued. The Environmental Clearance No.32/2017 was issued in the name of "Sri.Basil Paul (Managing Partner, M/s.Popular Sands and Metals, Mullackal House, Poothrika P.O., Puthencruz (via), Ernakulam District, Kerala-682 308)".

3. The petitioners state that the Partnership Firm was reconstituted and the 2nd petitioner-K.S.Paulose was appointed as Managing Partner as per Ext.P7 Deed of Reconstitution dated 04.03.2020. Thereafter, the petitioner submitted application to the State Environment Impact Assessment Authority (SEIAA) to change the occupier status.

4. The SEIAA in its 118th meeting held on 30.09.2022 and 01.10.2022, decided to inform the 2nd petitioner that the change of occupier status is the internal matter of Company and it does not come under the purview of SEIAA and this decision of SEIAA is subject to further orders from this Court. The authority also noted that in the judgment dated 19.07.2021 in W.P.(C) No.14103/2021, the High Court of Kerala has directed the SEIAA to estimate the life of the project for revalidation and hence authority decided to inform the 2nd petitioner to submit all relevant documents for revalidation of Environmental Clearance, if required.

5. Though the 2nd respondent, who was the Managing Partner of the Firm, initially resisted the writ petition, subsequently, the 2nd respondent has filed an affidavit dated 14.10.2022. The affidavit proceeds to state as follows.

> During the pendency of the above writ petition, certain mediators intervened in the dispute and agreed to settle my grievances with the firm and its partners. Accordingly, I am withdrawing all my contentions raised in the above writ petition. My self and my wife Ancy Paul hereby relinquishes all our claim against the firm. I have no objection in granting the reliefs sought in the writ petition on recording this affidavit.

6. As the 2nd respondent and his wife relinquished all claims in respect of the Partnership Firm, it is now to be held that the 2nd petitioner should be treated as the newly appointed Managing Partner of the Firm as decided in Ext.P7.

7. The original period of Environmental Clearance stands already expired. The petitioner states that as per the Central Government Order dated 12.04.2022 of the Ministry of Environment, Forest and Climate Change, the validity of the Environmental Clearance stand extended.

8. In view of the affidavit filed by the 2nd respondent and as long as there is no other dispute between the Partners of the 1st petitioner-Firm, the 2nd petitioner will be eligible to represent as Managing Partner of the 1st peititoner- Firm.

The writ petition is disposed of with the afore declaration.

Sd/-
N.NAGARESH
JUDGE

sss